

TILE BOOK 2021

gorenje KERAMIKA

Gorenje Keramika, d.o.o.

Sedež/Headquarters: Partizanska cesta 12,
3320 Velenje, Slovenija

Lokacija/Location: Gorenje 1/b,
3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 10

F: +386 (0)3 896 61 13

E: keramika@gorenje.com

W: <https://si.gorenje.com/izdelki/keramika>
<https://ceramics-gorenje.com/>

Priznana blagovna znamka v regiji

S 47-letnimi izkušnjami je Gorenje Keramika vodilno podjetje na domačem trgu in eden od najbolj prepoznavnih ponudnikov na trgih v regiji srednje in vzhodne Evrope.

Širok izbor izdelkov

Gorenje Keramika je podjetje za razvoj, proizvodnjo in distribucijo keramičnih ploščic. Prodajni asortiman obsega:

- talne in stenske ploščice vključno z dekoracijo (sredinski dekorji, listelli, mozaiki) za oblaganje površin notranjih prostorov in
- mrazoodporne porcelanske ploščice (t.i. 'gres porcellanato') primerne za najzahtevnejše pogoje v notranjih in zunanjih prostorih.

Razvojna usmeritev

Razvoj podjetja je usmerjen v zadovoljstvo kupcev in tehnološke inovacije. S takšnim pristopom si Gorenje Keramika utrjuje prepoznavnost ter krepi konkurenčnost na ciljnih trgih.

V zadnjih treh letih smo v Gorenje Keramika investirali v najsodobnejše tehnologije v proizvodnji keramičnih ploščic. Zato vam novi katalog izdelkov Gorenje Keramika

ponuja moderen prodajni asortiman, ki je namenjen nenehnemu izboljševanju in zadovoljevanju najzahtevnejših potreb trga in kupcev.

Trajnostni razvoj

Zavezanost podjetja varovanju in ohranjanju okolja izhaja iz prepričanja, da je trajnostni razvoj obveznost za vse nas.

Zelene ploščice Gorenje Keramika pomenijo našo zavezanost trajnostnemu razvoju okolja, prisotno v vsakem izdelku in vseh fazah proizvodnje, vključno z distribucijo in življenjskim ciklom izdelka.



Recognized trademark in the region

With 45 years of experience, the company Gorenje Keramika is the leading company in the domestic market and one of the most recognizable suppliers in the markets of Central and Eastern Europe.

Wide range of products

Gorenje Keramika is a company engaged in design, production, and distribution of ceramic tiles. Its range of products includes:

- floor and wall tiles including decorations (central decors, listellos, mosaics) for indoor surfaces and
- frost-resistant porcelain tiles (the so-called 'gres porcellanato') suitable for the most demanding conditions in indoor and outdoor spaces.

Development policy

The development of the company is aimed at customer satisfaction and technological innovation. With such approach, Gorenje Keramika is strengthening its visibility and enhancing its competitiveness in target markets.

In the past three years, the company has made investments in the latest technologies in ceramic tile production. Therefore, the new catalogue of products from Gorenje Keramika offers a modern range of products intended for continuous improvement and satisfaction of the most demanding needs of the market and the customers.

Sustainable development

The company's commitment to protecting and preserving the environment is based on the belief that sustainable development is our common obligation.

The environmentally friendly tiles from Gorenje Keramika represent our commitment to the sustainable development of the environment, which is present in every product and all stages of production, including the distribution and life cycle of the product.

SPLOŠNO KAZALO

General Index

O NAS	5
About Us	5
KAZALO PO FORMATIH	7
Index By Formats	7
ABECEDNO KAZALO	8
Alphabetical Index	8
SIMBOLI	9
Symbols	9
RAZLAGA STRANI	10-11
How to Use This Book	10-11
NOTRANJE STENSKÉ PLOŠČICE	12-73
Indoor Wall Tiles	22-23
GLAZIRANE PORCELANSKE PLOŠČICE	74-143
Glazed Porcelain Tiles	74-143
KUHINJSKI PROGRAM	144-149
Kitchen Programme	144-149
PROJEKTNE STENSKÉ PLOŠČICE	150-155
Project Wall Tiles	150-155
NOTRANJE TALNE PLOŠČICE	156-159
Indoor Floor Tiles	156-159
MOŽNE BARVNE KOMBINACIJE	160-163
Possible Color Combinations	160-163
TEHNIČNE INFORMACIJE	164-172
Technical Informations	173-175
NAVODILA IN NASVETI	176-177
Installation Guide and Advice	178-179
PRIPOROČENI NAČINI POLAGANJA	180
Laying Solutions	180
LOGISTIČNI PODATKI	181-182
Logistical Data	181-182
DODATNE INFORMACIJE	183
Additional Informations	183
BELEŽKA	184-186
Notes	184-186

**CONTEMPORARY.
TIMELESS.
BEAUTIFUL.**

Tiles distinguished by their modern design with a hint of timelessness.

KAZALO PO FORMATIH

Index by Formats

Notranje stenske ploščice

Indoor Wall Tiles

25 x 75 cm 9.8" x 29.5"	AGRA	14-15
	VALLETTA	16-17
	NOSTALGIA	18-19
	ESSENCE	20-21
	CANDY	22-23

25 x 60 cm 9.8" x 23.6"	ATLANTA	24-25
	DALIA	26-27
	EAGLE	28-29
	DESIRE	30-31
	SURFACE	32-33
	ONICE	34-35
	VISUAL	36-37
	MADISON	38-41
	IBIZA	42-43
	BLOSSOM	44-47
	LUCY	48-51
	DREAM	52-53
	STREAMS	54-55

20 x 50 cm 7.8" x 19.6"	ETNA	56-57
	MARBLE	58-61
	ADORE	62-65
	VENUS	66-67
	SENSO	68-69
	CHARM	70-71
	VELA	72-73

Glazirane porcelanske ploščice

Glazed Porcelain Tiles

15 x 60 cm 5.9" x 23.6"	NATUR	76-77
	SAGANO	78-79
	BARK	80
	RIALTO	81
	CRAFT	82-83
	VINTAGE	84-85

22,5 x 90 cm 8.9" x 35.4"	COTTAGE	86-87
	GRAND	88-89
	NORDIC	90-91
	NATIVE	92-93
	RUSTIC	94-95

30 x 60 cm 11.8" x 23.6"	FOREST	96-97
	LEGEND	98-99
	ARC	100
	ALT	101
	ASPEN	102-103
	ICELAND	104-109
	FINESTONE	110-115
	MARMETTE	116-117
	QUARZITE	118-121
	CANYON	122-123
	FOSSIL	124-125
	TERRAZZO	126-127
	STORM	128-129
	NAXOS	130-131
	DESERT	132-133
	LIPICA	134-135
	VICENZA	136-137
	BESTONE	138-139
	TAURUS	140-141
	CEMENT	142-143

Kuhinjski program

Kitchen Programme

25 x 75 cm 9.8" x 29.5"	VISUAL 65 TAUPE	147	STREAMS WHITE		SURFACE GREY	
	VISUAL WHITE DC PATCHWORK	147	DC PATCHWORK	147	DC PATCHWORK 3D	149
	VISUAL TAUPE		BLOSSOM 65 BLUE	147	TERRAZZO BEIGE	149
	DC BRICK 3D	147	BLOSSOM WHITE		TERRAZZO GREY	149
	VISUAL GREY		DC PATCHWORK	147	ICELAND SILK	149
	DC BRICK 3D	147	SURFACE BEIGE		ICELAND SAND	149
	STREAMS 65 WHITE	147	DC PATCHWORK 3D	149	ICELAND SI MOSAIC 7	149
					ICELAND SA MOSAIC 7	149

Projektne stenske ploščice

Project Wall Tiles

25 x 75 cm 9.8" x 29.5"	AGRA 75 WHITE	153	25 x 60 cm 9.8" x 23.6"	DREAM 65 WHITE	153
	ESSENCE 75 WHITE	153		LUCY 65 WHITE	153
	CANDY 75 WHITE	153		VISUAL 65 WHITE	153
		SURFACE 65 WHITE		155	
		DESIRE 65 WHITE		155	
		ATLANTA 65 WHITE		155	
		ONICE 65 WHITE	153		

Notranje talne ploščice

Indoor Floor Tiles

33,3' x 33,3' cm 13.1" x 13.1"	ADORE 3 BROWN	158	DREAM 3 COFFEE	159	STREAMS 3 BROWN	159
	ADORE 3 GREY	158	LUCY 3 BLACK	159	STREAMS 3 GREY	159
	BLOSSOM 3 BLUE	158	LUCY 3 GREY	159	STREAMS 3 WHITE	159
	BLOSSOM 3 BROWN	158	LUCY 3 VIOLET	159	VELA 3 GREEN	159
	CHARM 3 BROWN	158	MADISON 3 GREY	159	VENUS 3 BEIGE	159
	CHARM 3 GREY	158	SENSO 3 GREY	159		

ABECEDNO KAZALO

Alphabetical Index

A			
ADORE 3 BROWN	158	DESERT ASH	133
ADORE 3 GREY	158	DESERT BEIGE	133
ADORE 52 BEIGE	63	DESERT BROWN	133
ADORE 52 BROWN	63	DESERT GREY	133
ADORE 52 GREY	65	DESIRE 65 BEIGE	31
ADORE 52 WHITE	65	DESIRE 65 GREY	31
ADORE BEIGE DC FLOWER A	63	DESIRE 65 WHITE	27, 155
ADORE BEIGE DC FLOWER B	63	DESIRE BEIGE DC LEVELS 3D	31
ADORE BEIGE DC FLOWER C	63	DESIRE GREY DC LEVELS 3D	31
ADORE BEIGE DC MOSAIC	63	DIVINE 52 BROWN	67
ADORE BEIGE DC WAVES	63	DIVINE BROWN L	67
ADORE BEIGE L LINES	63	DREAM 3 COFFEE	159
ADORE BROWN L LINES	63	DREAM 65 COFFEE	53
ADORE GREY L LINES	65	DREAM 65 LIGHT COFFEE	53
ADORE WHITE DC FLOWER A	65	DREAM 65 WHITE	53, 153
ADORE WHITE DC FLOWER B	65	DREAM C-F MOSAIC 1	53
ADORE WHITE DC FLOWER C	65	DREAM COFFEE DC FLOWER	53
ADORE WHITE DC MOSAIC	65	DREAM COFFEE L FLOWER	53
ADORE WHITE DC WAVES	65	DREAM LC-F MOSAIC 1	53
AGRA 75 BEIGE	15	DREAM LIGHT COFFEE DC FLOWER	53
AGRA 75 BROWN	15	DREAM LIGHT COFFEE L FLOWER	53
AGRA 75 GREY	15	DREAM W-F MOSAIC 1	53
AGRA 75 WHITE	15, 153	DREAM WHITE DC FLOWER	53
AGRA BEIGE DC WAVES 3D	15	DREAM WHITE L FLOWER	53
AGRA BEIGE DC WOOD 3D	15		
AGRA WHITE DC WAVES 3D	15	E	
AGRA WHITE DC WOOD 3D	15	EAGLE 65 BEIGE	29
ALT GREY	101	EAGLE 65 GREY	29
ARC BROWN	100	EAGLE BEIGE DC LINES 3D	29
ASPEN BROWN	103	EAGLE BEIGE DC MIX 3D	29
ASPEN GREY	103	EAGLE BEIGE DC WOOD 3D	29, 31
ATLANTA 65 BEIGE	25	EAGLE GREY DC LINES 3D	29
ATLANTA 65 BLUE	25	EAGLE GREY DC MIX 3D	29
ATLANTA 65 SAGE	25	EAGLE GREY DC WOOD 3D	29, 31
ATLANTA 65 TAN	25	ESSENCE 75 WALNUT	29
ATLANTA 65 WHITE	25, 155	ESSENCE 75 WHITE	21, 153
ATLANTA BEIGE DC MOSAIC 3D	25	ESSENCE W MOSAIC 6	21
ATLANTA BEIGE DC TROPIC 3D	25	ESSENCE WALNUT DC LINES 3D	21
ATLANTA WHITE DC MOSAIC 3D	25	ETNA 52 BEIGE	57
ATLANTA WHITE DC TROPIC 3D	25	ETNA 52 BROWN	57
		ETNA 52 GREY	57
B		ETNA 52 WHITE	57
BARK BROWN	80	ETNA BEIGE DC FLOWER	57
BESTONE BEIGE	139	ETNA BEIGE DC MOSAIC	57
BESTONE GREY	139	ETNA WHITE DC FLOWER	57
BLOSSOM 3 BLUE	158	ETNA WHITE DC MOSAIC	57
BLOSSOM 3 BROWN	158		
BLOSSOM 65 BEIGE	47	F	
BLOSSOM 65 BLUE	45, 147	FINESTONE BE MOSAIC 4	111
BLOSSOM 65 BROWN	47	FINESTONE BE MOSAIC 5	111
BLOSSOM B-B-W MOSAIC 1	47	FINESTONE BEIGE	111
BLOSSOM BEIGE DC FLOWER	47	FINESTONE BR MOSAIC 4	112
BLOSSOM BEIGE DC PATCHWORK	47	FINESTONE BR MOSAIC 5	112
BLOSSOM BEIGE DC WAVES 3D	47	FINESTONE BROWN	112
BLOSSOM BEIGE L FLOWER	47	FINESTONE LG MOSAIC 4	115
BLOSSOM W-B-W MOSAIC 1	45	FINESTONE LG MOSAIC 5	115
BLOSSOM WHITE DC FLOWER	45	FINESTONE LIGHT GREY	115
BLOSSOM WHITE DC PATCHWORK	45, 147	FINESTONE W MOSAIC 4	113
BLOSSOM WHITE DC WAVES 3D	45, 49, 51	FINESTONE W MOSAIC 5	113
BLOSSOM WHITE L FLOWER	45	FINESTONE WHITE	113
		FOREST BROWN	97
C		FOREST GREY	97
CANDY 75 WHITE	23, 153	FOREST OAK	97
CANDY WHITE DC WAVES 3D	23	FOREST WHITE	97
CANYON BONE	123	FOSSIL COTTO	125
CANYON EARTH	123	FOSSIL SAND	125
CANYON ROCK	123		
CEMENT GREY	143	G	
CEMENT TAUPE	143	GRAND OAK	89
CHARM 3 BROWN	158	GRAND PINE	89
CHARM 3 GREY	158		
CHARM 52 BEIGE	71	I	
CHARM 52 BROWN	71	IBIZA 65 COFFEE	43
CHARM 52 GREY	71	IBIZA 65 GREY	43
CHARM 52 WHITE	71	IBIZA 65 LATTE	43
CHARM BEIGE DC FLOWER 1	71	IBIZA 65 WHITE	43
CHARM BEIGE DC FLOWER 2	71	IBIZA LATTE DC GEO 3D	43
CHARM BEIGE DC MOSAIC	71	IBIZA LATTE DC TROPIC	43
CHARM BEIGE L LINES	71	IBIZA WHITE DC GEO 3D	43
CHARM WHITE DC FLOWER 1	71	IBIZA WHITE DC TROPIC	43
CHARM WHITE DC FLOWER 2	71	ICELAND CR MOSAIC 4	107
CHARM WHITE DC MOSAIC	71	ICELAND CR MOSAIC 5	107
CHARM WHITE L LINES	71	ICELAND CR MOSAIC 7	107
COTTAGE ALMOND	87	ICELAND CREAM	107
COTTAGE BROWN	87	ICELAND MI MOSAIC 4	106
COTTAGE GOLD	87	ICELAND MI MOSAIC 5	106
COTTAGE GREY	87	ICELAND MI MOSAIC 7	106
COTTAGE NUT	87	ICELAND MIST	106
COTTAGE WHITE	87	ICELAND SA MOSAIC 4	109
CRAFT BEIGE	83	ICELAND SA MOSAIC 5	109
		ICELAND SA MOSAIC 7	109, 149
D		ICELAND SAND	109, 149
DALIA BEIGE DC FLOWER 3D	27	ICELAND SI MOSAIC 4	105
DALIA BEIGE DC LINES 3D	27	ICELAND SI MOSAIC 5	105
DALIA BEIGE DC MOSAIC 3D	27	ICELAND SI MOSAIC 7	105, 149
DALIA WHITE DC FLOWER 3D	27	ICELAND SILK	105, 149
DALIA WHITE DC LINES 3D	27		
DALIA WHITE DC MOSAIC 3D	27	L	
		LEGEND OAK	99
		LEGEND PINE	99
		LIPICA SMOKE	135
		LIPICA TAUPE	135
		LUCY 3 BLACK	159
		LUCY 3 GREY	159
		LUCY 3 VIOLET	159
		LUCY 65 BLACK	51
		LUCY 65 GREY	51
		LUCY 65 VIOLET	49
		LUCY 65 WHITE	45, 49, 51, 153
		LUCY BLACK L MESH	51
		LUCY GREY L MESH	51
		LUCY VIOLET L MESH	49
		LUCY W-B-M MOSAIC 1	51
		LUCY W-G-M MOSAIC	51
		LUCY W-V-M MOSAIC 1	49
		LUCY WHITE DC FLOWER	49
		LUCY WHITE DC MESH	49, 51
		LUCY WHITE L MESH	49, 51
		M	
		MADISON 3 GREY	159
		MADISON 65 BEIGE	39
		MADISON 65 BROWN	39
		MADISON 65 GREY	41
		MADISON 65 WHITE	41
		MADISON BEIGE DC DETROIT	39
		MADISON BEIGE DC MOSAIC 3D	39
		MADISON BEIGE DC NEW YORK	39
		MADISON BEIGE DC SEATTLE	39
		MADISON BEIGE DC WAVES 3D	39
		MADISON BEIGE L MOSAIC	39
		MADISON BEIGE L WAVES	39
		MADISON WHITE DC DETROIT	41
		MADISON WHITE DC MOSAIC 3D	41
		MADISON WHITE DC NEW YORK	41
		MADISON WHITE DC SEATTLE	41
		MADISON WHITE DC WAVES 3D	41
		MADISON WHITE L MOSAIC	41
		MADISON WHITE L WAVES	41
		MARBLE 52 GOLD	61
		MARBLE 52 GREY	59
		MARBLE 52 IVORY	61
		MARBLE 52 WHITE	59
		MARBLE IVORY DC FLOWER	61
		MARBLE IVORY DC GEO	61
		MARBLE IVORY DC MOSAIC	61
		MARBLE WHITE DC FLOWER	59
		MARBLE WHITE DC GEO	59
		MARBLE WHITE DC MOSAIC	59
		MARMETTE BEIGE	117
		MARMETTE GREY	117
		N	
		NATIVE ALMOND	93
		NATIVE IVORY	93
		NATIVE OAK	93
		NATUR ALMOND	77
		NATUR BROWN	77
		NATUR GOLD	77
		NATUR GREY	77
		NATUR NUT	77
		NATUR WHITE	77
		NAXOS SMOKE	131
		NAXOS GRAPHITE	131
		NAXOS BONE	131
		NAXOS HONEY	131
		NORDIC PINE	91
		NORDIC WALNUT	91
		NORDIC WHITE	91
		NOSTALGIA 75 WHITE	19
		NOSTALGIA WHITE DC FLOWER	19
		O	
		ONICE 65 BEIGE	35
		ONICE 65 WHITE	35, +
		ONICE BEIGE DC ROMB 3D	35
		ONICE BEIGE DC TROPIC	35
		ONICE WHITE DC ROMB	35
		ONICE WHITE DC TROPIC	35
		Q	
		QUARZITE P MOSAIC 4	121
		QUARZITE P MOSAIC 5	121
		QUARZITE PEARL	121
		QUARZITE S MOSAIC 4	119
		QUARZITE S MOSAIC 5	119
		QUARZITE SAND	119
		R	
		RIALTO GREY	81
		RUSTIC BROWN	95
		RUSTIC GREY	95
		RUSTIC OAK	95
		RUSTIC WHITE	95
		S	
		SAGANO OAK	79
		SAGANO PINE	79
		SENSO 3 GREY	159
		SENSO 52 GREY	69
		SENSO 52 WHITE	69
		SENSO WHITE DC ARABESQUE	69
		SENSO WHITE DC GEOMETRIC	69
		SENSO WHITE DC MOSAIC	69
		SENSO WHITE L ARABESQUE	69
		STORM BEIGE	129
		STORM GRAPHITE	129
		STORM GREY	129
		STREAMS 3 BROWN	159
		STREAMS 3 GREY	159
		STREAMS 3 WHITE	159
		STREAMS 65 BROWN	55
		STREAMS 65 GREY	55
		STREAMS 65 WHITE	55, 147
		STREAMS W-B MOSAIC 1	55
		STREAMS W-G MOSAIC 1	55
		STREAMS WHITE DC LINES	55
		STREAMS WHITE DC PATCHWORK	55, 147
		STREAMS WHITE L GEOMETRIC	55
		STREAMS WHITE L PATCHWORK	55
		SURFACE 65 BEIGE	33
		SURFACE 65 GREY	33
		SURFACE 65 WHITE	33, 155
		SURFACE BEIGE DC PATCHWORK 3D 33	149
		SURFACE BEIGE DC WAVES 3D	33
		SURFACE GREY DC PATCHWORK 3D 33	149
		SURFACE GREY DC WAVES 3D	33
		SURFACE WHITE DC WAVES 3D	33
		T	
		TAURUS ANTRACITE	141
		TAURUS ASH	141
		TAURUS BONE	141
		TAURUS PEARL	141
		TAURUS SAND	141
		TERRAZZO BEIGE	127, 149
		TERRAZZO GRAPHITE	127, 149
		TERRAZZO GREY	127, 149
		V	
		VALLETTA 75 BEIGE	17
		VALLETTA 75 GREY	17
		VALLETTA BEIGE DC HEXA 3D	17
		VALLETTA BEIGE DC MOSAIC 3D	17
		VALLETTA BEIGE DC WAVES 3D	17
		VALLETTA GREY DC HEXA 3D	17
		VALLETTA GREY DC MOSAIC 3D	17
		VALLETTA GREY DC WAVES 3D	17
		VELA 3 GREEN	159
		VELA 52 GREEN	73
		VELA 52 LIGHT GREEN	73
		VELA LG-G MOSAIC 1	73
		VELA LIGHT GREEN DC GRASS A	73
		VELA LIGHT GREEN DC GRASS B	73
		VELA LIGHT GREEN L GRASS	73
		VENUS 3 BEIGE	159
		VENUS 52 BEIGE	67
		VENUS B-B-M MOSAIC 1	67
		VENUS BEIGE DC FLOWER A	67
		VENUS BEIGE DC FLOWER B	67
		VENUS BEIGE DC GEOMETRIC	67
		VENUS BEIGE DC MOSAIC	67
		VICENZA BEIGE	137
		VICENZA GREY	137
		VINTAGE BROWN	85
		VINTAGE GREY	85
		VINTAGE OAK	85
		VINTAGE WHITE	85
		VISUAL 65 GREY	37
		VISUAL 65 TAUPE	37, 149
		VISUAL 65 WHITE	37, 153
		VISUAL GREY DC BRICK 3D	37
		VISUAL GREY DC LINES 3D	37, 149
		VISUAL TAUPE DC BRICK 3D	37, 149
		VISUAL TAUPE DC LINES 3D	37
		VISUAL WHITE DC PATCHWORK	37, 149

SIMBOLI

Symbols

Simboli spodaj označujejo tehnične značilnosti in priporočene pogoje uporabe.

Symbols Below Indicate the Technical Features and the Recommended Use Conditions.

	Stenska ploščica / Wall Tile		Sijajna in mat ploščica / Glossy and Matt Tile
	Talna ploščica / Floor Tile		V1 Ploščice z enakomernim izgledom/Tiles With Uniformed Appearance
	Sredinski dekor / Central Decor (m ²)		V2 Ploščice z rahlo različnim odtenkom in izgledom/ Tiles With Slight Shade and Aspect Variation
	Sredinski dekor / Central Decor (kos/pcs)		V3 Ploščice z zmerno različnim odtenkom in/ali izgledom/Tiles With Moderate Shade and/or Aspect Variation
	3D struktura / 3D Structure		V4 Ploščice z večjo razliko v odtenku in izgledu/ Tiles With Stronger Shade and Aspect Variation
	Listelo / Listello		Paket / Box
	Mozaik 1 / Mosaic 1		Paleta / Pallet
	Mozaik 4/ Mosaic 4		Dolžina in širina / Length and Width
	Mozaik 5/ Mosaic 5		Debelina / Thickness
	Mozaik 6/ Mosaic 6		Ravnost robov / Straightness of Sides
	Mozaik 7/ Mosaic 7		Pravokotnost / Rectangularity
	Možnost razreza /Cutting Option		Ravnost površine / Surface Flatness
	Število različnih lic/Number of Different Faces		Vpijanje vode / Water Absorption
	Odpornost proti zmrzovanju/Frost Resistance		Upogibna trdnost / Modulus of Rupture
	Primerno za zunanje površine/ Suitable for Outdoor Areas		Zlomna sila / Breaking Strength
	Primerno za bivalne površine/ Suitable for Residential Areas		Odpornost proti lasastim razpokam / Crazing Resistance
	Razred drsnosti/Slipperiness		Odpornost proti madežem / Resistance to Staining
	Razred drsnosti na mokri podlagi/ Slipperiness on Wet Surfaces		Odpornost proti nizkim koncentracijam kislin in alkalij / Resistance to Low Acid and Alkaline Concentrations
	Odpornost proti obrabi /Abrasion Resistance		Odpornost proti hitrim temperaturnim razlikam/Thermal Shock Resistance
	Razred drsnosti / Slipperiness		
	Mat ploščica / Matt Tile		
	Sijajna ploščica / Glossy Tile		

NOVA
SERIJA
New Series

NEW ATLANTA

Notranje stenske ploščice | Indoor wall tiles

AMBIENT
Ambiance
Picture



Atlanta 65 Sage, Atlanta Beige DC Mosaic 3D, Iceland Cream

PLOŠČICE V
AMBIENTU
Tiles in
Ambiance

ŠTEVILKA :
STRANI :
Page
Number

24

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640

LOGISTIČNI PODATKI
Logistic Data

DIMENZIJA
Dimension

IME SERIJE
Name of The Series

VRSTA POVRŠINE
Surface Type

SIMBOLI
Symbols

ATLANTA

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface

25x60 cm | 9.8" x 23.6"



Primerno za bivalne površine |
Suitable for Residential Areas




Stenska ploščica | Wall Tile




Mat ploščica | Matt Tile

BARVE | COLORS



926626 ATLANTA 65 WHITE



926629 ATLANTA 65 BEIGE




926628 ATLANTA 65 GREY



926630 ATLANTA 65 TAN



926627 ATLANTA 65 BLUE



926631 ATLANTA 65 SAGE



926632 ATLANTA WHITE DC MOSAIC 3D



926634 ATLANTA BEIGE DC MOSAIC 3D



926633 ATLANTA WHITE DC TROPIC 3D



926635 ATLANTA BEIGE DC TROPIC 3D

IME PLOŠČICE
Tile Name

KODA
ARTIKLA
Article Code

NOVA
SERIJA
New
Series

3D
STRUKTURA
3D Structure

NEW

VEČ BARVNIH
MOŽNOSTI
More Color
Options

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
more information on pg. 161



926592
STORM GREY
stran | page: 129



926619
TAURUS PEARL
stran | page: 141



925750
ICELAND SILK
stran | page: 105



924678
NORDIC PINE
stran | page: 91

TALNE PLOŠČICE
Floor Tiles

NOTRANJE STENSKE PLOŠČICE

Indoor Wall Tiles

DIMENZIJE | Dimensions

25 x 75 cm | 9.8" x 29.5"

25 x 60 cm | 9.8" x 23.6"

20 x 50 cm | 7.8" x 19.6"

Notranje stenske ploščice | Indoor Wall Tiles

Reliefna ali gladka površina
Structured or Smooth Surface

Različna grafična lica | DifferentFaces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks L skupina BIII
Classification in Accordance With SIST EN 14411 Annex L Group BIII

KAZALO PO TIPU IZDELKA IN FORMATU

Products Index by Typology and Formats


Enobarvno Monocolor

CANDY	22-23
ATLANTA	24-25
SURFACE	32-33
BLOSSOM	44-47
LUCY	48-51
DREAM	52-53
ADORE	62-64
VELA	72-73




Les Wood

NOSTALGIA	18-19
ESSENCE	20-21
DALIA	26-27
DESIRE	30-31



Kamen Stone

VALLETTA	16-17
EAGLE	28-29
ONICE	34-35
MADISON	38-41
STREAMS	54-55
ETNA	56-57
MARBLE	58-61
VENUS	66-67



Cement Concrete

AGRA	14-15
VISUAL	36-37
IBIZA	42-43
SENSO	68-69
CHARM	70-71



3D stena 3D wall

AGRA	14-15
VALLETTA	16-17
ESSENCE	20-21
CANDY	22-23
ATLANTA	24-25
DALIA	26-27
EAGLE	28-29
DESIRE	30-31
SURFACE	32-33
VISUAL	36-37

25 x 75 cm 9.8" x 29.5"

AGRA	14-15
VALLETTA	16-17
NOSTALGIA	18-19
ESSENCE	20-21
CANDY	22-23

25 x 60 cm 9.8" x 23.6"

ATLANTA	24-25
DALIA	26-27
EAGLE	28-29
DESIRE	30-31
SURFACE	32-33
ONICE	34-35
VISUAL	36-37
MADISON	38-41
IBIZA	42-43
BLOSSOM	44-47
LUCY	48-51
DREAM	52-53
STREAMS	54-55

20 x 50 cm 7.8" x 19.6"






ETNA	56-57
MARBLE	58-61
ADORE	62-65
VENUS	66-67
SENSO	68-69
CHARM	70-71
VELA	72-73

AGRA

Notranje stenske ploščice | Indoor wall tiles






Agra 75 White, Agra White DC Wood 3D, Bestone Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
3D struktura 3D Structure		25x75	7	1,31	23,20	28	36,68	650


AGRA

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
25x75 cm | 9.8"x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile


BARVE | COLORS




924594 AGRA 75 BEIGE



924598 AGRA 75 WHITE



924595 AGRA 75 BROWN



924599 AGRA 75 GREY



924596 AGRA BEIGE DC WAVES 3D



924600 AGRA WHITE DC WAVES 3D



924706 AGRA BEIGE DC WOOD 3D



924707 AGRA WHITE DC WOOD 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
more information on pg. 161



924062
TERRAZZO BEIGE
stran | page: 127



924678
NORDIC PINE
stran | page: 91



924058
BESTONE GREY
stran | page: 139








924677
NORDIC WHITE
stran | page: 91

VALLETTA

Notranje stenske ploščice | Indoor wall tiles






Valleta 75 Beige, Valletta Beige DC Waves 3D, Nordic Pine, Terrazzo Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketon / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
3D struktura 3D Structure		25x75	7	1,31	23,20	28	36,68	650

VALLETTA

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
25x75 cm | 9.8"x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



924602 VALLETTA 75 BEIGE



924606 VALLETTA 75 GREY



924603 VALLETTA BEIGE DC WAVES 3D



924607 VALLETTA GREY DC WAVES 3D




924605 VALLETTA BEIGE DC MOSAIC 3D



924609 VALLETTA GREY DC MOSAIC 3D



924604 VALLETTA BEIGE DC HEXA 3D




924608 VALLETTA GREY DC HEXA 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
more information on pg. 161



925753
ICELAND SAND
stran | page: 109



924678
NORDIC PINE
stran | page: 91



924058
BESTONE GREY
stran | page: 139









924677
NORDIC WHITE
stran | page: 91

NOSTALGIA

Notranje stenske ploščice | Indoor wall tiles





Nostalgia 75 White, Nostalgia White DC Flower, Vintage Oak

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
Sredinski dekor Central Decor (m ²)		25x75	8	1,50	23,20	28	42,00	650
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
		15x60	10	0,90	17,70	64	57,60	1.130

NOSTALGIA

Notranje stenske ploščice | Indoor Wall Tiles

Gladka površina | Smooth Surface
25x75 cm | 9.8" x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



925783 NOSTALGIA 75 WHITE



925784 NOSTALGIA WHITE DC FLOWER

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
more information on pg. 161



923261 VINTAGE OAK
stran | page: 85

15x60 cm




923260 VINTAGE BROWN
stran | page: 85

15x60 cm



925750 ICELAND SILK
stran | page: 105

30x60 cm



926591 STORM BEIGE
stran | page: 129







30x60 cm

ESSENCE

Notranje stenske ploščice | Indoor wall tiles






Essence 75 White, Essence Walnut DC Lines 3D, Nordic Walnut

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
3D struktura 3D Structure		25x75	7	1,31	23,20	28	36,68	650
Mozaik 6 Mosaic 6		20x60	10	0,97	14,60			

ESSENCE

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
25x75 cm | 9.8"x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



925785 ESSENCE 75 WHITE



925787 ESSENCE WALNUT DC LINES 3D



925786 ESSENCE 75 WALNUT



925788 ESSENCE W MOSAIC 6


20x60 cm

Prilporučene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
 more information on pg. 161



924679
 NORDIC WALNUT
 stran | page: 91



924079
 CEMENT GREY
 stran | page: 143









925750
 ICELAND SILK
 stran | page: 105

CANDY

Notranje stenske ploščice | Indoor wall tiles






Candy White DC Waves 3D, Grand Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
3D struktura 3D Structure		25x75	7	1,31	23,20	28	36,68	650
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
		15x60	10	0,90	17,70	64	57,60	1.130

CANDY

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
25x75 cm | 9.8" x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



924624 CANDY 75 WHITE



924627 CANDY WHITE DC WAVES 3D


Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
 more information on pg. 161



925750 ICELAND SILK
 stran | page: 105

30x60 cm



924063 TERRAZZO GREY
 stran | page: 127

30x60 cm



926591 STORM BEIGE
 stran | page: 129

30x60 cm



926625 CANYON ROCK
 stran | page: 123

30x60 cm



926687 GRAND PINE
 stran | page: 89

22,5x90 cm






NEW

ATLANTA

Notranje stenske ploščice | Indoor wall tiles




Atlanta 65 Sage, Atlanta Beige DC Mosaic 3D, Iceland Cream

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640


ATLANTA

Notranje stenske ploščice | Indoor Wall Tiles


Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8" x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile


BARVE | COLORS




926626 ATLANTA 65 WHITE



926629 ATLANTA 65 BEIGE




926628 ATLANTA 65 GREY



926630 ATLANTA 65 TAN



926627 ATLANTA 65 BLUE



926631 ATLANTA 65 SAGE



926632 ATLANTA WHITE DC MOSAIC 3D



926634 ATLANTA BEIGE DC MOSAIC 3D



926633 ATLANTA WHITE DC TROPIC 3D



926635 ATLANTA BEIGE DC TROPIC 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
 more information on pg. 161



926592
 STORM GREY
 stran | page: 129



926619
 TAURUS PEARL
 stran | page: 141



925750
 ICELAND SILK
 stran | page: 105



924678
 NORDIC PINE
 stran | page: 91






NEW

DALIA

Notranje stenske ploščice | Indoor wall tiles






Desire 65 Beige, Dalia Beige DC Lines 3D, Iceland Cream

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640

DALIA

Notranje stenske ploščice | Indoor Wall Tiles


Reliefna površina | Structured Surface
25x60 cm | 9.8" x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



923630 DESIRE 65 BEIGE



925739 DESIRE 65 WHITE



925743 DALIA BEIGE DC FLOWER 3D



925740 DALIA WHITE DC FLOWER 3D



925744 DALIA BEIGE DC LINES 3D



925741 DALIA WHITE DC LINES 3D



925745 DALIA BEIGE DC MOSAIC 3D



925742 DALIA WHITE DC MOSAIC 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
more information on pg. 161



925778
ASPEN BROWN
stran | page: 103



925752
ICELAND CREAM
stran | page: 107



925779
ASPEN GREY
stran | page: 103








925751
ICELAND MIST
stran | page: 106

EAGLE

Notranje stenske ploščice | Indoor wall tiles






Eagle Grey DC Lines 3D, Eagle Grey DC Wood 3D, Taurus Pearl

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640

EAGLE

Notranje stenske ploščice | Indoor Wall Tiles

Reliefna površina | Structured Surface
25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



923539 EAGLE 65 BEIGE



923543 EAGLE 65 GREY



923540 EAGLE BEIGE DC LINES 3D



923544 EAGLE GREY DC LINES 3D



923541 EAGLE BEIGE DC MIX 3D



923545 EAGLE GREY DC MIX 3D



923542 EAGLE BEIGE DC WOOD 3D



923546 EAGLE GREY DC WOOD 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161
more information on pg. 161




922744
VICENZA BEIGE
stran | page: 137



924062
TERRAZZO BEIGE
stran | page: 127



923447
VICENZA GREY
stran | page: 137








926619
TAURUS PEARL
stran | page: 141

DESIRE

Notranje stenske ploščice | Indoor wall tiles






Desire 65 Beige, Desire Beige DC Levels 3D, Vicenza Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640

DESIRE

Notranje stenske ploščice | Indoor Wall Tiles

Reliefna površina | Structured Surface
25x60 cm | 9.8" x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



923630 DESIRE 65 BEIGE



923631 DESIRE 65 GREY




923632 DESIRE BEIGE DC LEVELS 3D



923633 DESIRE GREY DC LEVELS 3D



923542 EAGLE BEIGE DC WOOD 3D



923546 EAGLE GREY DC WOOD 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 161+162
more information on pg. 161+162




922744
VICENZA BEIGE
stran | page: 137



923425
NATUR BROWN
stran | page: 77



923447
VICENZA GREY
stran | page: 137








926685
SAGANO PINE
stran | page: 79

SURFACE

Notranje stenske ploščice | Indoor wall tiles




Surface 65 White, Surface Beige DC Patchwork 3D, Iceland Silk

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640

SURFACE

Notranje stenske ploščice | Indoor Wall Tiles


Reliefna površina | Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



923634 SURFACE 65 WHITE




923637 SURFACE WHITE DC WAVES 3D




923635 SURFACE 65 BEIGE



923636 SURFACE 65 GREY



923638 SURFACE BEIGE DC WAVES 3D



923639 SURFACE GREY DC WAVES 3D



925736 SURFACE BEIGE DC PATCHWORK 3D



925737 SURFACE GREY DC PATCHWORK 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
 more information on pg. 162



923472
 BARK BROWN
 stran | page: 80



926591
 STORM BEIGE
 stran | page: 129



925750
 ICELAND SILK
 stran | page: 105



924079
 CEMENT GREY
 stran | page: 143





NEW

ONICE

Notranje stenske ploščice | Indoor wall tiles






Onice 65 Beige, Onice Beige DC Tropic, Nordic Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	640

ONICE

Notranje stenske ploščice | Indoor Wall Tiles


Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8" x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



926656 ONICE 65 BEIGE



926657 ONICE 65 WHITE



926658 ONICE BEIGE DC TROPIC



926659 ONICE WHITE DC TROPIC



926660 ONICE BEIGE DC ROMB 3D



926661 ONICE WHITE DC ROMB 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162.



924671
COTTAGE BROWN
stran | page: 87



926617
TAURUS BONE
stran | page: 141



924681
NATIVE ALMOND
stran | page: 93









926619
TAURUS PEARL
stran | page: 141

VISUAL

Notranje stenske ploščice | Indoor wall tiles






Visual Taupe DC Brick 3D, Visual 65 White, Visual 65 Taupe, Cement Taupe

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)		25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640

VISUAL

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8" x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS




925789 VISUAL 65 WHITE




925792 VISUAL WHITE DC PATCHWORK



925791 VISUAL 65 TAUPE



925790 VISUAL 65 GREY




925796 VISUAL TAUPE DC BRICK 3D



925794 VISUAL GREY DC BRICK 3D




925795 VISUAL TAUPE DC LINES 3D



925793 VISUAL GREY DC LINES 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162



924080
CEMENT TAUPE
stran | page: 143



924677
NORDIC WHITE
stran | page: 91



924079
CEMENT GREY
stran | page: 143










925750
ICELAND SILK
stran | page: 105

MADISON

Notranje stenske ploščice | Indoor wall tiles



Madison 65 Beige, Madison 65 Brown, Cement Taupe

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640
Centralni dekor (kos) Central decor (pcs)		25x60	9	1,35	20,00			
		cm	kos / pcs	m	kg			
Listelo Listello		5x60	12	7,20	6,00			
		6x60	12	7,20	7,50			

MADISON

Notranje stenske ploščice | Indoor Wall Tiles

Reliefna površina | Structured Surface

25x60 cm | 9.8"x 23.6"

5x60 cm | 1.9"x 23.6"

6x60 cm | 2.3"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



922591 MADISON 65 BEIGE



922830 MADISON BEIGE DC DETROIT



922592 MADISON 65 BROWN




922828 MADISON BEIGE DC NEW YORK



926464 MADISON BEIGE DC WAVES 3D



922829 MADISON BEIGE DC SEATTLE



926742 MADISON BEIGE DC MOSAIC 3D



922604 MADISON BEIGE L WAVES 5x60 cm



922608 MADISON BEIGE L MOSAIC 6x60 cm

Priporočene talne ploščice | Recommended Floor Tiles


VEČ INFORMACIJ NA STR. 162
more information on pg. 162



926618
TAURUS SAND
stran | page: 141



925753
ICELAND SAND
stran | page: 109




926623
CANYON BONE
stran | page: 123

MADISON

Notranje stenske ploščice | Indoor wall tiles



Madison 65 White, Madison White DC Seattle, Madison White DC Detroit, Madison White DC New York, Madison White DC Waves 3D, Natur Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640
Centralni dekor (kos) Central decor (pcs)		25x60	9	1,35	20,00			
		cm	kos / pcs	m	kg			
Listelo Listello		5x60	12	7,20	6,00			
		6x60	12	7,20	7,50			

MADISON



Notranje stenske ploščice | Indoor Wall Tiles

Reliefna površina | Structured Surface

25x60 cm | 9.8"x 23.6"

5x60 cm | 1.9"x 23.6"

6x60 cm | 2.3"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



922589 MADISON 65 WHITE



922833 MADISON WHITE DC DETROIT



922590 MADISON 65 GREY




922831 MADISON WHITE DC NEW YORK



926465 MADISON WHITE DC WAVES 3D



922832 MADISON WHITE DC SEATTLE



926743 MADISON WHITE DC MOSAIC 3D



922603 MADISON WHITE L WAVES 5x60 cm



922607 MADISON WHITE L MOSAIC 6x60 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162



922621
MADISON 3 GREY
stran | page: 159



925750
ICELAND SILK
stran | page: 105



923424
NATUR GREY
stran | page: 77





NEW

IBIZA

Notranje stenske ploščice | Indoor wall tiles






Ibiza 65 White, Ibiza 65 Grey, Ibiza White DC Geo 3D, Nordic Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	640

IBIZA

Notranje stenske ploščice | Indoor Wall Tiles


Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8" x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



926636 IBIZA 65 LATTE



926638 IBIZA 65 WHITE



926637 IBIZA 65 COFFEE



926639 IBIZA 65 GREY



926640 IBIZA LATTE DC TROPIC



926642 IBIZA WHITE DC TROPIC




926641 IBIZA LATTE DC GEO 3D



926643 IBIZA WHITE DC GEO 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162



926618
TAURUS SAND
stran | page: 141



924682
NATIVE OAK
stran | page: 93



924081
QUARZITE PEARL
stran | page: 121








923425
NATUR BROWN
stran | page: 77

BLOSSOM

Notranje stenske ploščice | Indoor wall tiles



Blossom White DC Flower, Lucy 65 White, Blossom 65 Blue, Lucy 3 Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	640
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello	L	5x60	12	7,20	6,00			

BLOSSOM




Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface

25x60 cm | 9.8"x 23.6"

30x30 cm | 11.8"x 11.8"


5x60 cm | 1.9"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile


BARVE | COLORS



922064 LUCY 65 WHITE



922838 BLOSSOM WHITE DC PATCHWORK



922834 BLOSSOM 65 BLUE



922837 BLOSSOM WHITE DC FLOWER



922839 BLOSSOM WHITE DC WAVES 3D



922843 BLOSSOM WHITE L FLOWER 5x60 cm




922845 BLOSSOM W-B-W MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162



922847
BLOSSOM BLUE
stran | page: 158



922264
LUCY 3 GREY
stran | page: 159



924063
TERRAZZO GREY
stran | page: 127











926590
LEGEND OAK
stran | page: 99

BLOSSOM

Notranje stenske ploščice | Indoor wall tiles



Blossom Beige DC Patchwork, Blossom 65 Beige, Blossom Beige DC Waves 3D, Nordic Walnut

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)		25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello		5x60	12	7,20	6,00			

BLOSSOM




Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface

25x60 cm | 9.8"x 23.6"

30x30 cm | 11.8"x 11.8"

5x60 cm | 1.9"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS




922835 BLOSSOM 65 BEIGE



922836 BLOSSOM 65 BROWN



922842 BLOSSOM BEIGE DC WAVES 3D



922841 BLOSSOM BEIGE DC PATCHWORK



922840 BLOSSOM BEIGE DC FLOWER




922844 BLOSSOM BEIGE L FLOWER 5x60 cm




922846 BLOSSOM B-B-W
MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162



922848
BLOSSOM 3 BROWN
stran | page: 158



923468
CRAFT BEIGE
stran | page: 83



925753
ICELAND SAND
stran | page: 109








924080
CEMENT TAUPE
stran | page: 143

LUCY

Notranje stenske ploščice | Indoor wall tiles



Lucy White DC Flower, Lucy 65 White, Lucy 65 Violet, Lucy W-V-M Mosaic 1, Lucy 3 Violet

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	640
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello	L	5x60	12	7,20	5,80			

LUCY

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface

25x60 cm | 9.8"x 23.6"

30x30 cm | 11.8"x 11.8"

4,5x60 cm | 1.7"x 23.6"



Primerno za bivalne površine | Suitable for Residential Areas



Stenska ploščica | Wall Tile



Sijajna ploščica | Glossy Tile

BARVE | COLORS



922064 LUCY 65 WHITE



922069 LUCY WHITE DC FLOWER



922065 LUCY 65 VIOLET



922839 BLOSSOM WHITE DC WAVES 3D



922068 LUCY WHITE DC MESH



922252 LUCY WHITE L MESH

4,5x60 cm



922253 LUCY VIOLET L MESH

4,5x60 cm




922070 LUCY W-V-M

MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles



922265
LUCY 3 VIOLET
stran | page: 159



922264
LUCY 3 GREY
stran | page: 159



926592
STORM GREY
stran | page: 129



923435
FINESTONE WHITE
stran | page: 113






VEČ INFORMACIJ NA STR. 162
more information on pg. 162

LUCY

Notranje stenske ploščice | Indoor wall tiles



Lucy 65 Black, Lucy 3 Black, Terrazzo Graphite

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	640
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello	L	4,5x60	12	7,20	5,80			

LUCY




Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface

25x60 cm | 9.8"x 23.6"

30x30 cm | 11.8"x 11.8"

4,5x60 cm | 1.7"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



922064 LUCY 65 WHITE




922839 BLOSSOM WHITE DC WAVES 3D



922066 LUCY 65 GREY



922068 LUCY WHITE DC MESH



922067 LUCY 65 BLACK



922252 LUCY WHITE L MESH 4,5x60 cm



922254 LUCY GREY L MESH 4,5x60 cm



922255 LUCY BLACK L MESH 4,5x60 cm




922071 LUCY W-G-M
MOSAIC 1 30x30 cm




922225 LUCY W-B-M
MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162



922264
LUCY 3 GREY
stran | page: 159



922266
LUCY 3 BLACK
stran | page: 159



926625
CANYON ROCK
stran | page: 123










926687
GRAND PINE
stran | page: 101

DREAM

Notranje stenske ploščice | Indoor wall tiles



Dream Light Coffee DC Flower, Dream 65 Light Coffee

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)		25x60	9	1,35	20,00	32	43,20	640
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello		5x60	12	7,20	6,00			

DREAM




Notranje stenske ploščice | Indoor Wall Tiles

Gladka površina | Smooth Surface

25x60 cm | 9.8"x 23.6"

30x30 cm | 11.8"x 11.8"

5x60 cm | 1.9"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



921935 DREAM 65 WHITE



921940 DREAM WHITE DC FLOWER




921934 DREAM 65 LIGHT COFFEE



921938 DREAM LIGHT COFFEE DC FLOWER



921957 DREAM 65 COFFEE



921939 DREAM COFFEE DC FLOWER



921945 DREAM WHITE L FLOWER 5x60 cm




921943 DREAM LIGHT COFFEE L FLOWER 5x60 cm




921944 DREAM COFFEE L FLOWER 5x60 cm



921950 DREAM W-F
MOSAIC 1 30x30 cm



921948 DREAM LC-F
MOSAIC 1 30x30 cm



921949 DREAM C-F
MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162




922267
DREAM 3 COFFEE
stran | page: 159



924080
CEMENT TAUPE
stran | page: 143



924062
TERRAZZO BEIGE
stran | page: 127








926592
STORM GREY
stran | page: 129

STREAMS

Notranje stenske ploščice | Indoor wall tiles



Streams 65 Brown, Streams White DC Lines, Streams 65 White, Streams 3 Brown

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	640
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello	L	5x60	12	7,20	6,00			

STREAMS

Notranje stenske ploščice | Indoor Wall Tiles

Gladka površina | Smooth Surface

25x60 cm | 9.8"x 23.6"

30x30 cm | 11.8"x 11.8"

5x60 cm | 1.9"x 23.6"



Primerno za bivalne površine | Suitable for Residential Areas



Stenska ploščica | Wall Tile




Sijajna ploščica | Glossy Tile

BARVE | COLORS



921847 STREAMS 65 WHITE



921849 STREAMS 65 BROWN



921848 STREAMS 65 GREY



921850 STREAMS WHITE DC PATCHWORK




921850 STREAMS WHITE DC LINES



921852 STREAMS WHITE L GEOMETRIC 5x60 cm



921853 STREAMS WHITE L PATCHWORK 5x60 cm



922262 STREAMS W-B MOSAIC 1 30x30 cm



922261 STREAMS W-G MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 162
more information on pg. 162



922272
STREAMS 3 BROWN
stran | page: 159



922270
STREAMS 3 WHITE
stran | page: 159



922271
STREAMS 3 GREY
stran | page: 159



926685
SAGANO PINE
stran | page: 79






NEW

ETNA

Notranje stenske ploščice | Indoor wall tiles






Etna 65 Beige. Etna 52 Brown, Etna Beige DC Flower, Bestone Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Sredinski dekor Central Decor (m ²)		20x50	18	1,80	26,80	22	39,60	590

ETNA

Notranje stenske ploščice | Indoor Wall Tiles


Gladka ali reliefna površina | Smooth or Structured Surface
20x50 cm | 7.8"x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



926679 ETNA 52 BEIGE



926677 ETNA 52 WHITE



926680 ETNA 52 BROWN




926678 ETNA 52 GREY



926682 ETNA BEIGE DC FLOWER



926681 ETNA WHITE DC FLOWER



926684 ETNA BEIGE DC MOSAIC



926683 ETNA WHITE DC MOSAIC

NEW

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 163
more information on pg. 163



925752
ICELAND CREAM
stran | page: 107



924671
COTTAGE BROWN
stran | page: 87



926592
STORM GREY
stran | page: 129



923435
FINESTONE WHITE
stran | page: 113






NEW

MARBLE

Notranje stenske ploščice | Indoor wall tiles



Marble White DC Flower, Marble 52 White, Marble 52 Grey, Nordic Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Sredinski dekor Central Decor (m ²)		20x50	18	1,80	26,80	22	39,60	590

MARBLE

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
20x50 cm | 7.8"x 19.6"



Primerno za bivalne površine |
Suitable for Residential Areas



Stenska ploščica | Wall Tile



Sijajna ploščica | Glossy Tile

BARVE | COLORS



926666 MARBLE 52 WHITE



926667 MARBLE 52 GREY



926673 MARBLE WHITE DC GEO



926676 MARBLE WHITE DC MOSAIC



926670 MARBLE WHITE DC FLOWER
6 različnih lic - pakirano naključno
6 different faces - packaged randomly

NEW

Priporočene talne ploščice | Recommended Floor Tiles



926592
STORM GREY
stran | page: 131



923435
FINESTONE WHITE
stran | page: 113



924678
NORDIC PINE
stran | page: 91

VEČ INFORMACIJ NA STR. 163
more information on pg. 163






NEW

MARBLE

Notranje stenske ploščice | Indoor wall tiles



Marble 52 Ivory, Marble Ivory DC Mosaic, Fossil Cotto

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Sredinski dekor Central Decor (m ²)		20x50	18	1,80	26,80	22	39,60	590

MARBLE

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
20x50 cm | 7.8"x 19.6"



Primerno za bivalne površine |
Suitable for Residential Areas




Stenska ploščica | Wall Tile




Sijajna ploščica | Glossy Tile


BARVE | COLORS



926664 MARBLE 52 IVORY



926665 MARBLE 52 GOLD



926672 MARBLE IVORY DC GEO



926675 MARBLE IVORY DC MOSAIC




926669 MARBLE IVORY DC FLOWER
6 različnih lic - pakirano naključno
6 different faces - packaged randomly

NEW


Priporočene talne ploščice | Recommended Floor Tiles



926622
FOSSIL COTTO
stran | page: 125



925752
ICELAND CREAM
stran | page: 107



924671
COTTAGE BROWN
stran | page: 87







VEČ INFORMACIJ NA STR. 163
more information on pg. 163

ADORE

Notranje stenske ploščice | Indoor wall tiles






Adore 52 Brown, Adore 52 Beige, Adore Beige DC Flower A + B + C, Aspen Brown

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Centralni dekor (kos) Central decor (pcs)		20x50	15	1,50	22,30			
		cm	kos / pcs	m	kg			
Listelo Listello		5x50	12	6,00	5,00			

ADORE

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
20x50 cm | 7.8" x 19.6"
5x50 cm | 1.9" x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS




922741 ADORE 52 BEIGE



922742 ADORE 52 BROWN



922872 ADORE BEIGE DC MOSAIC



922871 ADORE BEIGE DC WAVES



922875 ADORE BEIGE DC FLOWER C



922874 ADORE BEIGE DC FLOWER B



922873 ADORE BEIGE DC FLOWER A



922985 ADORE BEIGE L LINES 5x50 cm



922877 ADORE BROWN L LINES 5x50 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 163
 more information on pg. 163



922879
 ADORE 3 BROWN
 stran | page: 158



926591
 STORM BEIGE
 stran | page: 129









924667
 COTTAGE WHITE
 stran | page: 87

ADORE

Notranje stenske ploščice | Indoor wall tiles






Adore 52 White, Adore White DC Flower A + B + C

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Centralni dekor (kos) Central decor (pcs)		20x50	15	1,50	22,30			
		cm	kos / pcs	m	kg			
Listelo Listello		5x50	12	6,00	5,00			

ADORE

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface
20x50 cm | 7.8" x 19.6"
5x50 cm | 1.9" x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



922740 ADORE 52 WHITE



922739 ADORE 52 GREY



922867 ADORE WHITE DC MOSAIC



922866 ADORE WHITE DC WAVES



922870 ADORE WHITE DC FLOWER C



922869 ADORE WHITE DC FLOWER B



922868 ADORE WHITE DC FLOWER A



922986 ADORE WHITE L LINES 5x50 cm



922876 ADORE GREY L LINES 5x50 cm

Priporočene talne ploščice | Recommended Floor Tiles



922878
 ADORE 3 GREY
 stran | page: 158



926592
 STORM GREY
 stran | page: 129



924668
 COTTAGE GREY
 stran | page: 87






VEČ INFORMACIJ NA STR. 163
 more information on pg. 163

VENUS

Notranje stenske ploščice | Indoor wall tiles



Venus 52 Beige, Venus Beige DC Flower A, Venus Beige DC Flower B

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Sredinski dekor Central Decor (m ²)	DC	20x50	18	1,80	26,80	22	39,60	590
Centralni dekor (kos) Central decor (pcs)		20x50	15	1,50	22,30			
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello	L	5x50	12	6,00	5,00			

VENUS




Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface


20x50 cm | 7.8"x 19.6"

30x30 cm | 11.8"x 11.8"

5x50 cm | 1.9"x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



922744 VENUS 52 BEIGE



922899 VENUS BEIGE DC FLOWER B



922747 DIVINE 52 BROWN



922898 VENUS BEIGE DC FLOWER A




922896 VENUS BEIGE DC MOSAIC



922897 VENUS BEIGE DC GEOMETRIC



922900 DIVINE BROWN L 5x50 cm



900901 VENUS B-B-M
MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles


VEČ INFORMACIJ NA STR. 163
more information on pg. 163



922902
VENUS 3 BEIGE
stran | page: 159



926617
TAURUS BONE
stran | page: 141








926621
FOSSIL SAND
stran | page: 125

SENSO

Notranje stenske ploščice | Indoor wall tiles



Senso 52 White, Senso White DC Mosaic

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Sredinski dekor Central Decor (m ²)	DC	20x50	18	1,80	26,80	22	39,60	590
Centralni dekor (kos) Central decor (pcs)		20x50	15	1,50	22,30			
		cm	kos / pcs	m	kg			
Listelo Listello	L	5x50	12	6,00	5,00			




SENSO

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface

20x50 cm | 7.8"x 19.6"

5x50 cm | 1.9"x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



922738 SENSO 52 WHITE



922857 SENSO WHITE DC GEOMETRIC



922743 SENSO 52 GREY



922856 SENSO WHITE DC MOSAIC



922858 SENSO WHITE DC ARABESQUE



922862 SENSO WHITE L ARABESQUE 5x50 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 163
more information on pg. 163



922864
SENSO 3 GREY
stran | page: 159



925749
NAXOS GRAPHITE
stran | page: 131









923428
FOREST WHITE
stran | page: 97

CHARM

Notranje stenske ploščice | Indoor wall tiles



Charm 52 Grey, Charm 52 White, Charm White DC Flower 1, Charm White DC Flower 2, Charm 3 Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Centralni dekor (kos) Central decor (pcs)		20x50	15	1,50	22,30			
		cm	kos / pcs	m	kg			
Listelo Listello		5x50	12	6,00	5,00			


CHARM

Notranje stenske ploščice | Indoor Wall Tiles

Gladka površina | Smooth Surface

20x50 cm | 7.8"x 19.6"

5x50 cm | 1.9"x 19.6"




BARVE | COLORS




922113 CHARM 52 BEIGE



922111 CHARM 52 WHITE



922114 CHARM 52 BROWN



922112 CHARM 52 GREY




922115 CHARM BEIGE DC MOSAIC



922116 CHARM WHITE DC MOSAIC



922117 CHARM BEIGE DC FLOWER 1



922119 CHARM WHITE DC FLOWER 1



922118 CHARM BEIGE DC FLOWER 2



922120 CHARM WHITE DC FLOWER 2



922121 CHARM BEIGE L LINES 5x50 cm



922122 CHARM WHITE L LINES 5x50 cm

Priporočene talne ploščice | Recommended Floor Tiles



922124
CHARM 3 BROWN
stran | page: 158



924678
NORDIC PINE
stran | page: 91



922123
CHARM 3 GREY
stran | page: 158



924677
NORDIC WHITE
stran | page: 91








VEČ INFORMACIJ NA STR. 163
more information on pg. 163

VELA

Notranje stenske ploščice | Indoor wall tiles



Vela 52 Light Green, Vela 52 Green, Vela Light Green L Grass, Vela 3 Green

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Centralni dekor (kos) Central decor (pcs)		20x50	15	1,50	22,30			
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listelo Listello		8x50	12	6,00	8,20			

VELA




Notranje stenske ploščice | Indoor Wall Tiles

Gladka površina | Smooth Surface

20x50 cm | 7.8" x 19.6"

30x30 cm | 11.8" x 11.8"


8x50 cm | 3.1" x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile


BARVE | COLORS



922938 VELA 52 LIGHT GREEN



922939 VELA 52 GREEN



922943 VELA LIGHT GREEN DC GRASS B



922942 VELA LIGHT GREEN DC GRASS A



922967 VELA LIGHT GREEN L GRASS 8x50 cm



922946 VELA LG-G
MOSAIC 1 30x30 cm


Priporočene talne ploščice | Recommended Floor Tiles



922948
VELA 3 GREEN
stran | page: 159



926619
TAURUS PEARL
stran | page: 141



926624
CANYON EARTH
stran | page: 123

VEČ INFORMACIJ NA STR. 163
more information on pg. 163

GLAZIRANE PORCELANSKE PLOŠČICE

Glazed Porcelain Tiles

DIMENZIJE | Dimensions

15 x 60 cm | 5,9" x 23,6"

22,5 x 90 cm | 8,9" x 35,4"

30 x 60 cm | 11,8" x 23,6"

33,8 x 36,4 cm | 13,3" x 14,1"

30 x 30 cm | 11,8" x 11,8"

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

Različna grafična lica | Different Faces

Mat | Matt

Skladno z zahtevami standarda **SIST EN 14411, aneks G skupina BI_a**
Classification in Accordance With **SIST EN 14411 Annex G Group BI_a**

KAZALO PO TIPU IZDELKA IN FORMATU


Products Index by Typology and Formats



NATUR	76-77
<u>SAGANO</u>	<u>78-79</u>
BARK	80
RIALTO	81
CRAFT	82-83
VINTAGE	84-85
COTTAGE	86-87
<u>GRAND</u>	<u>88-89</u>
NORDIC	90-91
NATIVE	92-93
RUSTIC	94-95
FOREST	96-97
<u>LEGEND</u>	<u>98-99</u>
ARC	100
ALT	101
ASPEN	102-103



ICELAND	104-109
FINESTONE	110-115
MARMETTE	116-117
QUARZITE	118-121
<u>CANYON</u>	<u>122-123</u>
<u>FOSSIL</u>	<u>124-125</u>
TERRAZZO	126-127
<u>STORM</u>	<u>128-129</u>
NAXOS	130-131
DESERT	132-133
LIPICA	134-135
VICENZA	136-137
BESTONE	138-139



<u>TAURUS</u>	<u>140-141</u>
CEMENT	142-143

15 x 60 cm
5,9" x 23,6"

NATUR	76-77
<u>SAGANO</u>	<u>78-79</u>
BARK	80
RIALTO	81
CRAFT	82-83
VINTAGE	84-85

22,5 x 90 cm
8,9" x 35,4"

COTTAGE	86-87
<u>GRAND</u>	<u>88-89</u>
NORDIC	90-91
NATIVE	92-93
RUSTIC	94-95

30 x 60 cm
11,8" x 23,6"





FOREST	96-97
<u>LEGEND</u>	<u>98-99</u>
ARC	100
ALT	101
ASPEN	102-103
ICELAND	104-109
FINESTONE	110-115
MARMETTE	116-117
QUARZITE	118-121
<u>CANYON</u>	<u>122-123</u>
<u>FOSSIL</u>	<u>124-125</u>
TERRAZZO	126-127
<u>STORM</u>	<u>128-129</u>
NAXOS	130-131
DESERT	132-133
LIPICA	134-135
VICENZA	136-137
BESTONE	138-139
<u>TAURUS</u>	<u>140-141</u>
CEMENT	142-143

NATUR

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Natur Gold, Natur White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		15x60	10	0,90	17,70	64	57,60	1.130

NATUR

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

15 x 60 cm | 5,9" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R11

Razred drsnosti | Slipperiness

C

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV**

Odpornost proti obrabi |
Abrasion Resistance

V2

Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

16

Število različnih lic |
Number of Different Faces

BARVE | COLORS



923423 NATUR WHITE



923424 NATUR GREY



923426 NATUR ALMOND



923427 NATUR GOLD



923425 NATUR BROWN



923467 NATUR NUT





NEW

SAGANO

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Sagano Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		15x60	10	0,90	17,70	64	57,60	1.130

SAGANO

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

15 x 60 cm | 5,9" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
Abrasion Resistance


V2

Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

16

Število različnih lic |
Number of Different Faces

BARVE | COLORS



926685 SAGANO PINE



926686 SAGANO OAK



BARK

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

15 x 60 cm | 5,9"x 23,6"



Odpornost proti zmrzovanju | Frost Resistance



Primerno za zunanje površine | Suitable for Outdoor Areas



Primerno za bivalne površine | Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces

PEI IV

Odpornost proti obrabi | Abrasion Resistance

V3

Ploščice z zmerno različnim odtenkom in/ali izgledom | Tiles With Moderate Shade and/or Aspect Variation


19

Število različnih lic | Number of Different Faces

BARVE | COLORS



923472 BARK BROWN



Bark Brown

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		15x60	10	0,90	17,70	64	57,60	1.130


RIALTO

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
15 x 60 cm | 5,9"x 23,6"

	Odpornost proti zmrzovanju Frost Resistance	R10	Razred drsnosti Slipperiness
	Primerno za zunanje površine Suitable for Outdoor Areas	B	Razred drsnosti na mokri podlagi Slipperiness on Wet Surfaces
	Primerno za bivalne površine Suitable for Residential Areas	PEI IV	Odpornost proti obrabi Abrasion Resistance
	Talna ploščica Floor Tile	V3	Ploščice z zmerno različnim odtenkom in/ali izgledom Tiles With Moderate Shade and/or Aspect Variation
	Stenska ploščica Wall Tile	19	Število različnih lic Number of Different Faces
M	Mat ploščica Matt Tile		





BARVE | COLORS



923471 RIALTO GREY



Rialto Grey





RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		15x60	10	0,90	17,70	64	57,60	1.130

CRAFT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Craft Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		15x60	10	0,90	17,70	64	57,60	1.130

CRAFT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

15 x 60 cm | 5,9" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

19 Število različnih lic |
Number of Different Faces

BARVE | COLORS



923468 CRAFT BEIGE






VINTAGE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Vintage White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		15x60	10	0,90	17,70	64	57,60	1.130

VINTAGE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

15 x 60 cm | 5,9" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV**

Odpornost proti obrabi |
Abrasion Resistance

V3

Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

16

Število različnih lic |
Number of Different Faces

BARVE | COLORS



923258 VINTAGE WHITE



923259 VINTAGE GREY



923261 VINTAGE OAK



923260 VINTAGE BROWN

COTTAGE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Cottage Gold

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,61	1.250

COTTAGE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
22,5 x 90 cm | 8,9"x 35.4"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



924667 COTTAGE WHITE



924668 COTTAGE GREY



924669 COTTAGE ALMOND



924670 COTTAGE GOLD



924671 COTTAGE BROWN



924672 COTTAGE NUT





NEW

GRAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Grand Oak, Nostalgia 75 White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,61	1.250

GRAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
22,5 x 90 cm | 8,9" x 35,4"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



926687 GRAND PINE





926688 GRAND OAK

NORDIC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Nordic Walnut

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,61	1.250

NORDIC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

22,5 x 90 cm | 8,9" x 35,4"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
Abrasion Resistance

V2

Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12

Število različnih lic |
Number of Different Faces

BARVE | COLORS



924677 NORDIC WHITE



924678 NORDIC PINE







924679 NORDIC WALNUT

NATIVE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Native Almond

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,61	1.250

NATIVE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
22,5 x 90 cm | 8,9" x 35,4"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



924680 NATIVE IVORY



924681 NATIVE ALMOND







924682 NATIVE OAK

RUSTIC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Rustic Oak

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,61	1.250

RUSTIC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
22,5 x 90 cm | 8,9" x 35,4"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi |
Abrasion Resistance

V3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



924673 RUSTIC WHITE



924674 RUSTIC GREY



924675 RUSTIC OAK







924676 RUSTIC BROWN

FOREST

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Forest Oak, Forest White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

FOREST

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
 Frost Resistance

 Primerno za zunanje površine |
 Suitable for Outdoor Areas

 Primerno za bivalne površine |
 Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
 Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi |
 Abrasion Resistance

V3 Ploščice z zmerno različnim odtenkom
 in/ali izgledom | Tiles With Moderate
 Shade and/or Aspect Variation

10 Število različnih lic |
 Number of Different Faces

BARVE | COLORS




923428 FOREST WHITE



923429 FOREST GREY



923430 FOREST OAK



923431 FOREST BROWN





NEW

LEGEND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Legend Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

LEGEND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju | Frost Resistance

 Primerno za zunanje površine | Suitable for Outdoor Areas

 Primerno za bivalne površine | Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi | Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom in izgledom | Tiles With Slight Shade and Aspect Variation

12 Število različnih lic | Number of Different Faces

BARVE | COLORS



926589 LEGEND PINE



926590 LEGEND OAK

NEW




ARC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile


- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
-  Ploščice z zmerno različnim odtenkom in/ali izgledom | Tiles With Moderate Shade and/or Aspect Variation
- 14** Število različnih lic | Number of Different Faces








BARVE | COLORS



923575 ARC BROWN



Arc Brown

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketon / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

ALT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV**

Odpornost proti obrabi |
Abrasion Resistance

V3

Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

14

Število različnih lic |
Number of Different Faces



BARVE | COLORS



923576 ALT GREY



Alt Grey




RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

ASPEN

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Aspen Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketoV / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

ASPEN

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

6 Število različnih lic |
Number of Different Faces

BARVE | COLORS



925778 ASPEN BROWN










925779 ASPEN GREY

ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Iceland Silk, Iceland Mist

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju <i>Frost Resistance</i>		30x60	7	1,26	23,00	40	50,40	920
Mozaik 4 <i>Mosaic 4</i>		30x60	5	0,75	10,60			
Mozaik 7 <i>Mosaic 7</i>		33,8x 36,4	10	0,97	15,60			
Mozaik 5 <i>Mosaic 5</i>		30x30	11	0,98	16,60			

ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

33,8 x 36,4 cm | 13,3" x 14,1"

30 x 30 cm | 11,8" x 11,8"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV**

Odpornost proti obrabi |
Abrasion Resistance

V2

Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12

Število različnih lic |
Number of Different Faces

BARVE | COLORS



925750 ICELAND SILK



925905 ICELAND SI MOSAIC 4


30 x 60 cm



925938 ICELAND SI

MOSAIC 7

33,8x 36,4 cm



925901 ICELAND SI

MOSAIC 5

30 x 30 cm

ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

33,8 x 36,4 cm | 13,3" x 14,1"

30 x 30 cm | 11,8" x 11,8"

 Odpornost proti zmrzovanju | Frost Resistance

 Primerno za zunanje površine | Suitable for Outdoor Areas

 Primerno za bivalne površine | Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi | Abrasion Resistance


V2 Ploščice z rahlo različnim odtenkom in izgledom | Tiles With Slight Shade and Aspect Variation

12 Število različnih lic | Number of Different Faces

BARVE | COLORS



925751 ICELAND MIST



925906 ICELAND MI MOSAIC 4


30 x 60 cm



925939 ICELAND MI

MOSAIC 7








33,8x 36,4 cm



925902 ICELAND MI

MOSAIC 5

30 x 30 cm

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 7 Mosaic 7		33,8x 36,4	10	0,97	15,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

33,8 x 36,4 cm | 13,3" x 14,1"

30 x 30 cm | 11,8" x 11,8"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Taina ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- V2** Ploščice z rahlo različnim odtenkom in izgledom | Tiles With Slight Shade and Aspect Variation
- 12** Število različnih lic | Number of Different Faces

BARVE | COLORS




925752 ICELAND CREAM









925907 ICELAND CR MOSAIC 4 30 x 60 cm



925940 ICELAND CR MOSAIC 7 33,8x 36,4 cm



925903 ICELAND CR MOSAIC 5 30 x 30 cm








RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 7 Mosaic 7		33,8x 36,4	10	0,97	15,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Iceland Sand, Iceland SA Mosaic 5

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 7 Mosaic 7		33,8x 36,4	10	0,97	15,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

33,8 x 36,4 cm | 13,3" x 14,1"

30 x 30 cm | 11,8" x 11,8"

 Odpornost proti zmrzovanju | Frost Resistance

 Primerno za zunanje površine | Suitable for Outdoor Areas

 Primerno za bivalne površine | Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi | Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom in izgledom | Tiles With Slight Shade and Aspect Variation

12 Število različnih lic | Number of Different Faces

BARVE | COLORS



925753 ICELAND SAND



925908 ICELAND SA MOSAIC 4


30 x 60 cm



925941 ICELAND SA

MOSAIC

33,8x 36,4 cm



925904 ICELAND SA

MOSAIC 5







30 x 30 cm

FINESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Finestone Beige, Finestone BE Mosaic 5

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	40	50,40	920
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

FINESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

30 x 30 cm | 11,8" x 11,8"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance


V3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

12 Število različnih lic |
Number of Different Faces


BARVE | COLORS



923432 FINESTONE BEIGE



924653 FINESTONE BE MOSAIC 4 30 x 60 cm



924649 FINESTONE BE
MOSAIC 5 30 x 30 cm

FINESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

30 x 30 cm | 11,8" x 11,8"

 Odpornost proti zmrzovanju | Frost Resistance

 Primerno za zunanje površine | Suitable for Outdoor Areas

 Primerno za bivalne površine | Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi | Abrasion Resistance

V3 Ploščice z rahlo različnim odtenkom in izgledom | Tiles With Slight Shade and Aspect Variation

12 Število različnih lic | Number of Different Faces


BARVE | COLORS









923433 FINESTONE BROWN



924666 FINESTONE BR MOSAIC 4 30 x 60 cm



924664 FINESTONE BR MOSAIC 5 30 x 30 cm

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

FINESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

30 x 30 cm | 11,8" x 11,8"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
Abrasion Resistance


V3

Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation


12

Število različnih lic |
Number of Different Faces

BARVE | COLORS




923435 FINESTONE WHITE



924652 FINESTONE W MOSAIC 4

30 x 60 cm



924648 FINESTONE W

MOSAIC 5

30 x 30 cm







RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	40	50,40	920
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

FINESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Finestone Light Grey, Natur Almond

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

FINESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

30 x 30 cm | 11,8" x 11,8"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi |
Abrasion Resistance

Y3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

12 Število različnih lic |
Number of Different Faces


BARVE | COLORS



923434 FINESTONE LIGHT GREY



924665 FINESTONE LG MOSAIC 4 30 x 60 cm







924663 FINESTONE LG
MOSAIC 5 30 x 30 cm

MARMETTE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Marmette Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

MARMETTE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi |
Abrasion Resistance

V3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

16 Število različnih lic |
Number of Different Faces

BARVE | COLORS



924059 MARMETTE BEIGE









924060 MARMETTE GREY

QUARZITE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Quarzite Sand, Quarzite SA Mosaic 5

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

QUARZITE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

30 x 30 cm | 11,8" x 11,8"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

16 Število različnih lic |
Number of Different Faces

BARVE | COLORS




924082 QUARZITE SAND



924655 QUARZITE S MOSAIC 4

30 x 60 cm



924651 QUARZITE S

MOSAIC 5







30 x 30 cm

QUARZITE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Quarzite Pearl

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 4 Mosaic 4		30x60	5	0,75	10,60			
Mozaik 5 Mosaic 5		30x30	11	0,98	16,60			

QUARZITE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

30 x 30 cm | 11,8" x 11,8"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

16 Število različnih lic |
Number of Different Faces

BARVE | COLORS



924081 QUARZITE PEARL



924654 QUARZITE P MOSAIC 4

30 x 60 cm



924650 QUARZITE P
MOSAIC 5

30 x 30 cm





NEW

CANYON

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Canyon Rock

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

CANYON

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Taina ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V4 Ploščice z večjo razliko v odtenku
in izgledu | Tiles With Stronger
Shade and Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



926623 CANYON BONE



926624 CANYON EARTH



926625 CANYON ROCK





NEW

FOSSIL

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Fossil Cotto

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

FOSSIL

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V3 Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



926621 FOSSIL SAND







926622 FOSSIL COTTO

TERRAZZO

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Terrazzo Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

TERRAZZO

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Taina ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness



B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance



V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

16 Število različnih lic |
Number of Different Faces



BARVE | COLORS





924062 TERRAZZO BEIGE



924063 TERRAZZO GREY



924064 TERRAZZO GRAPHITE







NEW

STORM

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Storm Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

STORM

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Taina ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance


V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



926591 STORM BEIGE



926592 STORM GREY







926593 STORM GRAPHITE

NAXOS

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Naxos Graphite, Naxos Bone

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

NAXOS

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Taina ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness


B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV** Odpornost proti obrabi |
Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS



925746 NAXOS BONE



925747 NAXOS HONEY



925748 NAXOS SMOKE







925749 NAXOS GRAPHITE

DESERT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Desert Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

DESERT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface
30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
Abrasion Resistance

V3

Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

16

Število različnih lic |
Number of Different Faces

BARVE | COLORS




923455 DESERT BEIGE



923456 DESERT BROWN



923457 DESERT GREY







923454 DESERT ASH

LIPICA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Lipica Smoke

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

LIPICA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV**

Odpornost proti obrabi |
Abrasion Resistance


V2

Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

16

Število različnih lic |
Number of Different Faces

BARVE | COLORS



924086 LIPICA TAUPE







924085 LIPICA SMOKE

VICENZA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Vicenza Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

VICENZA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV**

Odpornost proti obrabi |
Abrasion Resistance

VI

Ploščice z enakomernim izgledom |
Tiles With Uniformed Appearance


12

Število različnih lic |
Number of Different Faces

BARVE | COLORS



922744 VICENZA BEIGE







923447 VICENZA GREY

BESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Bestone Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

BESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
Abrasion Resistance

V3

Ploščice z zmerno različnim odtenkom
in/ali izgledom | Tiles With Moderate
Shade and/or Aspect Variation

16

Število različnih lic |
Number of Different Faces

BARVE | COLORS



924057 BESTONE BEIGE



924058 BESTONE GREY







NEW

TAURUS

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Taurus Antracite

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

TAURUS

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas

 Primerno za bivalne površine |
Suitable for Residential Areas

 Talna ploščica | Floor Tile

 Stenska ploščica | Wall Tile

 Mat ploščica | Matt Tile

R10 Razred drsnosti | Slipperiness

B Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

PEI IV Odpornost proti obrabi |
Abrasion Resistance

V2 Ploščice z rahlo različnim odtenkom
in izgledom | Tiles With Slight Shade
and Aspect Variation

12 Število različnih lic |
Number of Different Faces

BARVE | COLORS




926617 TAURUS BONE



926618 TAURUS SAND



926619 TAURUS PEARL



926620 TAURUS ASH







926741 TAURUS ANTRACITE

CEMENT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles



Cement Taupe

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380

CEMENT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface

30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
Frost Resistance



Primerno za zunanje površine |
Suitable for Outdoor Areas



Primerno za bivalne površine |
Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces

**PEI
IV**

Odpornost proti obrabi |
Abrasion Resistance




Ploščice z enakomernim izgledom |
Tiles With Uniformed Appearance



Število različnih lic |
Number of Different Faces

BARVE | COLORS



924080 CEMENT TAUPE



924079 CEMENT GREY

KUHINJSKI PROGRAM

Kitchen Programme

DIMENZIJE | Dimensions

25 x 60 cm | 9.8" x 23.6"

30 x 60 cm | 11.8" x 23.6"

33,8 x 36,4 cm | 13.3" x 14.1"

Notranje stenske ploščice | Indoor Wall Tiles
Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna ali gladka površina
Structured or Smooth Surface

Različna grafična lica | Different Faces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks L skupina BIII
Classification in Accordance With SIST EN 14411 Annex L Group BIII
ali/or

Skladno z zahtevami standarda SIST EN 14411, aneks G skupina BI_a
Classification in Accordance With SIST EN 14411 Annex G Group BI_a

KAZALO PO TIPIU IZDELKA IN FORMATU

Products Index by Typology and Formats

Enobarvno Monocolor

BLOSSOM 65 BLUE	147
BLOSSOM WHITE	
DC PATCHWORK	147
SURFACE BEIGE	
DC PATCHWORK 3D	149
SURFACE GREY DC PATCHWORK 3D	149

Kamen Stone

STREAMS 65 WHITE	147
STREAMS WHITE DC PATCHWORK	147
TERRAZZO BEIGE	149
TERRAZZO GREY	149
ICELAND SILK	149
ICELAND SAND	149
ICELAND SI MOSAIC 7	149
ICELAND SA MOSAIC 7	149

Cement Concrete

VISUAL 65 TAUPE	147
VISUAL WHITE DC PATCHWORK	147
VISUAL TAUPE DC BRICK 3D	147
VISUAL GREY DC BRICK 3D	147

25 x 60 cm 9.8" x 23.6"

VISUAL 65 TAUPE	147
VISUAL WHITE DC PATCHWORK	147
VISUAL TAUPE	
DC BRICK 3D	147
VISUAL GREY	
DC BRICK 3D	147
STREAMS 65 WHITE	147
STREAMS WHITE	
DC PATCHWORK	147
BLOSSOM 65 BLUE	147
BLOSSOM WHITE	
DC PATCHWORK	147
SURFACE BEIGE	
DC PATCHWORK 3D	149
SURFACE GREY	
DC PATCHWORK 3D	149

30 x 60 cm 11,8" x 23,6"

TERRAZZO BEIGE	149
TERRAZZO GREY	149
ICELAND SILK	149
ICELAND SAND	149

33,8 x 36,4 cm 13.3" x 14.1"

ICELAND SI MOSAIC 7	149
ICELAND SA MOSAIC 7	149





KUHINJSKI PROGRAM

Kitchen Programme

Notranje stenske ploščice | Indoor Wall Tiles



Visual White DC Patchwork

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	640
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	640

KUHINJSKI PROGRAM


Kitchen Programme

Notranje stenske ploščice | Indoor Wall Tiles


25x60 cm | 9.8" x 23.6"

Gladka površina | Smooth or Structured Surface

- M Mat ploščica | *Matt Tile*
- 🏠 Primerno za bivalne površine | *Suitable for Residential Areas*
- 👉 Stenska ploščica | *Wall Tile*



925791 VISUAL 65 TAUPE



925796 VISUAL TAUPE DC BRICK 3D



925792 VISUAL WHITE DC PATCHWORK



925794 VISUAL GREY DC BRICK 3D

25x60 cm | 9.8" x 23.6"

Gladka površina | Smooth surface


- G Sijajna ploščica | *Glossy Tile*
- 🏠 Primerno za bivalne površine | *Suitable for Residential Areas*
- 👉 Stenska ploščica | *Wall Tile*




921847 STREAMS 65 WHITE



921850 STREAMS WHITE DC PATCHWORK



922834 BLOSSOM 65 BLUE



922838 BLOSSOM WHITE DC PATCHWORK







KUHINJSKI PROGRAM

Kitchen Programme

Notranje stenske ploščice | Indoor Wall Tiles



Iceland Silk, Iceland SA Mosaic 7

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	640
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380
Mozaik 7 Mosaic 7		33,8x 36,4	10	0,97	15,60			

KUHINJSKI PROGRAM

Kitchen Programme

Notranje stenske ploščice | Indoor Wall Tiles

25x60 cm | 9,8" x 23,6"
Reliefna površina | Structured surface



925736 SURFACE BEIGE DC PATCHWORK 3D



925737 SURFACE GREY DC PATCHWORK 3D

-  Mat ploščica | *Matt Tile*
-  Primerno za bivalne površine | *Suitable for Residential Areas*
-  Stenska ploščica | *Wall Tile*

30x60 cm | 11,8" x 23,6"
33,8 x 36,4 cm | 13,3" x 14,1"
Reliefna površina | Structured surface



924062 TERRAZZO BEIGE



924063 TERRAZZO GREY

-  Mat ploščica | *Matt Tile*
-  Odpornost proti zmrzovanju | *Frost Resistance*
-  Primerno za zunanje površine | *Suitable for Outdoor Areas*



925750 ICELAND SILK



925938 ICELAND SI
 MOSAIC 7 33,8x36,4 cm



925753 ICELAND SAND



925941 ICELAND SA
 MOSAIC 7 33,8x36,4 cm

PROJEKTNE STENSKE PLOŠČICE

Project Wall Tiles

DIMENZIJE | Dimensions

25 x 75 cm | 9.8" x 29.5"

25 x 60 cm | 9.8" x 23.6"

Notranje stenske ploščice | Indoor Wall Tiles

Reliefna ali gladka površina
Structured or Smooth Surface

Različna grafična lica | Different Faces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks L skupina BIII
Classification in Accordance With SIST EN 14411 Annex L Group BIII

KAZALO PO TIPI IZDELKA IN FORMATU

Products Index by Typology and Formats

Enobarvno Monocolor

CANDY 75 WHITE	153
ESSENCE 75 WHITE	153
ATLANTA 65 WHITE	155
DREAM 65 WHITE	153
LUCY 65 WHITE	153
SURFACE 65 WHITE	155

25 x 75 cm 9.8" x 29.5"

CANDY 75 WHITE	153
AGRA 75 WHITE	153
ESSENCE 75 WHITE	153



Les Wood

DESIRE 65 WHITE	155
-----------------	-----

25 x 60 cm 9.8" x 23.6"

DREAM 65 WHITE	153
LUCY 65 WHITE	153
ONICE 65 WHITE	153
VISUAL 65 WHITE	155
ATLANTA 65 WHITE	155
SURFACE 65 WHITE	155



Kamen Stone

ONICE 65 WHITE	153
--------------------------------	-----



Cement Concrete





AGRA 75 WHITE	153
VISUAL 65 WHITE	153

PROJEKTNE PLOŠČICE | Project Tiles

Notranje stenske ploščice | Indoor wall tiles



Essence 75 White, Essence W Mosaic 6, Iceland Silk

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
		25x60	9	1,35	20,60	64	86,40	1.320

PROJEKTNE PLOŠČICE | Project Tiles

Notranje stenske ploščice | Indoor Wall Tiles




Primerno za bivalne površine |
Suitable for Residential Areas



Stenska ploščica | Wall Tile

25x75 cm | 9,8" x 29,5"

Gladka površina | Smooth surface



925785 ESSENCE 75 WHITE

M



924598 AGRA 75 WHITE

M



924624 CANDY 75 WHITE

G

25x60 cm | 9,8" x 23,6"

Gladka površina | Smooth surface




921935 DREAM 65 WHITE

G




922064 LUCY 65 WHITE

G



926657 ONICE 65 WHITE

M



925789 VISUAL 65 WHITE

M

PROJEKTNE PLOŠČICE | Project Tiles

Notranje stenske ploščice | Indoor wall tiles



Desire 65 White, Dalia White DC Flower, Bestone Grey

PROJEKTNE PLOŠČICE | Project Tiles

Notranje stenske ploščice | Indoor Wall Tiles



Primerno za bivalne površine |
Suitable for Residential Areas



Stenska ploščica | Wall Tile

25x60 cm | 9,8" x 23,6"

Reliefna površina | Structured surface




M

923634 SURFACE 65 WHITE



M

925739 DESIRE 65 WHITE



M

926626 ATLANTA 65 WHITE

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320

NOTRANJE TALNE PLOŠČICE

Indoor Floor Tiles

DIMENZIJE | Dimensions

33,3' x 33,3' cm | 13.1" x 13.1"

Notranje talne ploščice | Indoor Floor Tiles

Reliefna ali gladka površina
Structured or Smooth Surface

Različna grafična lica | Different Faces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks K skupina BI_b
Classification in Accordance With SIST EN 14411 Annex K Group BI_b

KAZALO PO TIPU IZDELKA IN FORMATU

Products Index by Typology and Formats

Enobarvno Monocolor

<u>BLOSSOM 3 BLUE</u>	158
<u>BLOSSOM 3 BROWN</u>	158
<u>LUCY 3 GREY</u>	159
<u>LUCY 3 VIOLET</u>	159
<u>LUCY 3 BLACK</u>	159
<u>VELA 3 GREEN</u>	159

Tekstil Textile

<u>ADORE 3 BROWN</u>	158
<u>ADORE 3 GREY</u>	158
<u>DREAM 3 COFFEE</u>	159

Kamen Stone

<u>MADISON 3 GREY</u>	159
<u>STREAMS 3 BROWN</u>	159
<u>STREAMS 3 GREY</u>	159
<u>STREAMS 3 WHITE</u>	159
<u>VENUS 3 BEIGE</u>	159

Cement Concrete

<u>CHARM 3 BROWN</u>	158
<u>CHARM 3 GREY</u>	158
<u>SENSO 3 GREY</u>	159






33,3' x 33,3' cm 13.1" x 13.1"


<u>ADORE 3 BROWN</u>	158
<u>ADORE 3 GREY</u>	158
<u>BLOSSOM 3 BLUE</u>	158
<u>BLOSSOM 3 BROWN</u>	158
<u>CHARM 3 BROWN</u>	158
<u>CHARM 3 GREY</u>	158
<u>DREAM 3 COFFEE</u>	159
<u>LUCY 3 BLACK</u>	159
<u>LUCY 3 GREY</u>	159
<u>LUCY 3 VIOLET</u>	159
<u>MADISON 3 GREY</u>	159
<u>SENSO 3 GREY</u>	159
<u>STREAMS 3 BROWN</u>	159
<u>STREAMS 3 GREY</u>	159
<u>STREAMS 3 WHITE</u>	159
<u>VELA 3 GREEN</u>	159
<u>VENUS 3 BEIGE</u>	159

TALNE PLOŠČICE | Floor Tiles

Notranje talne ploščice | Indoor Floor Tiles

Gladka površina | Smooth Surface
33,3' x 33,3' cm | 13.1" x 13.1"


	Primerno za bivalne površine Suitable for Residential Areas
	Talna ploščica Floor Tile
	Mat ploščica Matt Tile
	Razred drsnosti Slipperiness
	Odpornost proti obrabi Abrasion Resistance




Adore 3 Grey




922879 ADORE 3 BROWN




922878 ADORE 3 GREY




922847 BLOSSOM 3 BLUE



922848 BLOSSOM 3 BROWN



922124 CHARM 3 BROWN








922123 CHARM 3 GREY

TALNE PLOŠČICE | Floor Tiles

Notranje talne ploščice | Indoor Floor Tiles

Gladka površina | Smooth Surface
33,3' x 33,3' cm | 13.1" x 13.1"


-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Mat ploščica | Matt Tile
-  Razred drsnosti | Slipperiness
-  Odpornost proti obrabi | Abrasion Resistance




922267 DREAM 3 COFFEE



922266 LUCY 3 BLACK




922264 LUCY 3 GREY



922265 LUCY 3 VIOLET




922621 MADISON 3 GREY



922864 SENSO 3 GREY




922272 STREAMS 3 BROWN




922271 STREAMS 3 GREY







922270 STREAMS 3 WHITE



922948 VELA 3 GREEN



922902 VENUS 3 BEIGE

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketon / boxes	m ² / Mq	kg
Talna ploščica Floor Tile		33,3' x 33,3'	12	1,33'	22,20	72	96,00	1.600

MOŽNE BARVNE KOMBINACIJE MED STENSKIMI & GLAZIRANIMI PORCELANSKIMI PLOŠČICAMI

Possible Wall & Glazed Porcelain Tile Color Combinations

Spremembe v tonu so zaradi narave proizvodnje neizogibne, zaradi česar je pred polaganjem priporočljiva barvna primerjava.
Shade variation across the batches is inherent to the manufacturing process and the pre-laying color comparison is recommended.

Reliefna ali gladka površina
Structured or Smooth Surface

Različna grafična lica | Different Faces

Mat ali sijajno | Matt or Glossy

BARVNE KOMBINACIJE | Color Combinations

25x75 cm

AGRA BEIGE-BROWN

ICELAND SAND
NORDIC PINE
CRAFT BEIGE
CEMENT TAUPE
TERRAZZO BEIGE
FOSSIL COTTO

AGRA WHITE-GREY

CEMENT TAUPE
BESTONE GREY
NORDIC WHITE
CANYON ROCK

VALLETTA BEIGE

ICELAND SAND
NORDIC PINE
CRAFT BEIGE
MARMETTE BEIGE
TERRAZZO BEIGE
FOSSIL COTTO

VALLETTA GREY

NORDIC WHITE
BESTONE GREY
RIALTO GREY
TERRAZZO GREY
CANYON ROCK

NOSTALGIA

VINTAGE OAK+BROWN (FOREST, RUSTIC)
CEMENT GREY+TAUPE
NORDIC
COTTAGE BROWN+NUT
NATIVE OAK
BARK BROWN
STORM BEIGE
ICELAND SILK

ESSENCE

NORDIC WALNUT+WHITE
CEMENT
ICELAND SILK+CREAM
BESTONE BEIGE
TERRAZZO BEIGE
MARMETTE BEIGE
CRAFT BEIGE
CANYON EARTH
TAURUS SAND+BONE
STORM GREY+BEIGE

CANDY

BELA JE UNIVERZALNA
Priporočamo kombinacijo z različnimi vzorci in slogi, da najdete koncept ki vam je všeč - minimalizem, glamur, rustikalni, industrijski, sredozemski, toplo-hladen kontrast, mat-sijajen kontrast...

WHITE IS UNIVERSAL
We recommend combining different patterns and styles, to find the concept you would like. Whether is that minimalism, glamorous, rustic, industrial, Mediterranean, warm-cool contrast, matt-glossy contrast...

25x60 cm

ATLANTA WHITE-GREY

NATUR ALMOND+BROWN
+GOLD (COTTAGE)
BARK BROWN
VINTAGE GREY+OAK+BROWN
(RUSTIC, VINTAGE)
NORDIC PINE+OAK
ASPEN GREY
STORM GREY
CANYON ROCK
TERRAZZO GRAPHITE
QUARZITE PEARL
LIPICA SMOKE
NAXOS GRAPHITE+SMOKE
BESTONE GREY
CEMENT GREY

ATLANTA WHITE-BLUE

VINTAGE (FOREST, RUSTIC)
BARK BROWN
NATUR BROWN+NUT (COTTAGE)
SAGANO PINE (GRAND, LEGEND)
NATIVE
NORDIC
TAURUS PEARL+ASH
STORM GRAPHITE
TERRAZZO GRAPHITE+GREY
CANYON ROCK
QUARZITE PEARL
MARMETTE GREY
NAXOS GRAPHITE
BESTONE GREY
FINESTONE LGREY
CEMENT GREY

ATLANTA WHITE-SAGE

VINTAGE WHITE+OAK+GREY
(RUSTIC, FOREST)
SAGANO OAK+PINE (GRAND,
SAGANO)
NATUR ALMOND+BROWN-
GOLD+NUT (COTTAGE)
CRAFT BEIGE
RIALTO GREY
NATIVE
NORDIC WHITE+OAK
QUARZITE PEARL
CANYON
TERRAZZO GREY+GRAPHITE
ICELAND SILK+MIST
MARMETTE GREY
NAXOS SMOKE
DESERT GREY
FINESTONE LGREY
CEMENT GREY
FOSSIL SAND

ATLANTA BEIGE-SAGE

CRAFT BEIGE
BARK BROWN
RIALTO GREY
NATUR GREY +NUT+ALMOND
(COTTAGE)
VINTAGE GREY+WHITE (RUSTIC,
FOREST)
SAGANO OAK+PINE (GRAND,
LEGEND)
NATIVE IVORY+OAK
NORDIC PINE+WALNUT
TAURUS SAND
DESERT BROWN
NAXOS BONE
BESTONE BEIGE
CANYON
VICENZA BEIGE
TERRAZZO BEIGE
FOSSIL SAND
QUARZITE SAND
FINESTONE BROWN
ICELAND SILK

ATLANTA BEIGE-TAN

VINTAGE WHITE (RUSTIC,
FOREST)
NATUR BROWN (COTTAGE)
NATIVE IVORY+OAK
NORDIC PINE+WALNUT
NAXOS BONE
TERRAZZO BEIGE
FOSSIL COTTO+SAND
ICELAND SAND
QUARZITE SAND

DALIA BEIGE

CRAFT BEIGE
NATIVE ALMOND
NORDIC PINE+WALNUT
COTTAGE BROWN
ASPEN BROWN
LEGEND PINE
CEMENT TAUPE
ICELAND CREAM+SAND
NAXOS BONE
BESTONE BEIGE
TERRAZZO BEIGE
TAURUS BONE+SAND
CANYON BONE

DALIA WHITE

NORDIC WHITE
RUSTIC WHITE
ASPEN GREY
CEMENT GREY
NAXOS SMOKE+GRAPHITE
ICELAND SILK
TERRAZZO GRAPHITE+GREY
BESTONE GREY
LIPICA SMOKE
TAURUS ASH+PEARL
STORM GREY

EAGLE BEIGE

VINTAGE WHITE (FOREST,
RUSTIC)
NATUR WHITE+ALMOND (COTTAGE)
ICELAND CREAM
NAXOS BONE
MARMETTE BEIGE
TERRAZZO BEIGE
VICENZA BEIGE
FINESTONE BEIGE
TAURUS BONE
FOSSIL COTTO

EAGLE GREY

RIALTO GREY (ALT)
VINTAGE WHITE (FOREST,
RUSTIC)
ASPEN GREY
QUARZITE PEARL
TERRAZZO GREY+GRAPHITE
FINESTONE WHITE
VICENZA GREY
TAURUS PEARL+ASH
STORM GRAPHITE

DESIRE BEIGE

NATUR BROWN, ALMOND,
NUT (COTTAGE)
VINTAGE OAK, BROWN
(FOREST, RUSTIC)
CRAFT BEIGE
NATIVE IVORY+OAK
MARMETTE BEIGE
TERRAZZO BEIGE
FINESTONE BROWN
VICENZA BEIGE
STORM BEIGE

25x60 cm

<p>DESIRE GREY</p> <p>SAGANO PINE VINTAGE OAK NORDIC PINE ICELAND SILK VICENZA GREY QUARZITE PEARL FINESTONE LIGHT GREY MARMETTE GREY TAURUS PEARL+ASH STORM GRAPHITE CANYON ROCK</p>	<p>SURFACE WHITE-BEIGE</p> <p>VINTAGE OAK (FOREST, RUSTIC) CRAFT BROWN+BEIGE NATUR BROWN, NUT (COTTAGE) ASPEN BROWN LEGEND PINE CEMENT TAUPE ICELAND CREAM+SAND NAXOS BONE TERRAZZO BEIGE VICENZA BEIGE CANYON EARTH FOSSIL SAND TAURUS SAND+BONE STORM BEIGE</p>	<p>SURFACE WHITE-GREY</p> <p>VINTAGE WHITE (FOREST, RUSTIC) ALT GREY (RIALTO) ASPEN GREY ICELAND SILK TERRAZZO GREY+GRAPHITE CEMENT GREY FINESTONE LGREY QUARZITE PEARL VICENZA GREY MARMETTE GREY DESERT GREY TAURUS PEARL+ASH+ANTRACITE</p>	<p>ONICE WHITE</p> <p>VSI LESI - (razen Natur White in Vintage White) all WOOD's - (except Natur White and Vintage White) ASPEN GREY TAURUS PEARL CEMENT GREY NAXOS GRAPHITE MARMETTE GREY TERRAZZO GREY QUARZITE PEARL CANYON ROCK+EARTH</p>	<p>ONICE BEIGE</p> <p>VINTAGE GREY (RUSTIC, FOREST) NATUR BROWN+NUT+ALMOND SAGANO PINE (LEGEND, GRAND) BARK BROWN CRAFT BEIGE RIALTO GREY NATIVE NORDIC PINE+WALNUT ASPEN BROWN TAURUS BONE+SAND STORM BEIGE MARMETTE BEIGE ICELAND CREAM CANYON ROCK QUARZITE SAND BESTONE BEIGE</p>
<p>VISUAL WHITE-TAUPE</p> <p>CRAFT BEIGE COTTAGE NUT RUSTIC WHITE NORDIC ASPEN BROWN CEMENT TAUPE ICELAND SAND NAXOS BONE TERRAZZO BEIGE STORM BEIGE TAURUS SAND</p>	<p>VISUAL WHITE-GREY</p> <p>RIALTO GREY CEMENT GREY TERRAZZO GRAPHITE+GREY ICELAND SILK BESTONE GREY CANYON BONE + ROCK</p>	<p>MADISON WHITE-GREY</p> <p>VINTAGE WHITE (+FOREST, RUSTIC) NATUR GREY (+COTTAGE) ASPEN GREY ICELAND SILK VICENZA GREY QUARZITE PEARL FINESTONE WHITE DESERT GREY CANYON ROCK</p>	<p>MADISON BEIGE-BROWN</p> <p>ICELAND SAND NAXOS BONE VICENZA BEIGE+GREY CEMENT TAUPE ICELAND SAND VICENZA BEIGE CEMENT TAUPE NAXOS BONE CANYON BONE FOSSIL COTTO TAURUS SAND</p>	<p>IBIZA COFFEE-LATTE</p> <p>VINTAGE WHITE+BROWN (RUSTIC, FOREST) CRAFT BEIGE NATUR NUT (COTTAGE) SAGANO PINE (LEGEND, GRAND) NATIVE IVORY+OAK NORDIC PINE+WALNUT ASPEN BROWN ICELAND SAND+SILK MARMETTE BEIGE QUARZITE SAND FOSSIL SAND TERRAZZO BEIGE VICENZA BEIGE BESTONE BEIGE NAXOS BONE STORM BEIGE TAURUS SAND</p>
<p>IBIZA WHITE-GREY</p> <p>NATUR BROWN (COTTAGE) BARK BROWN NORDIC PINE NATIVE OAK ASPEN GREY QUARZITE PEARL VICENZA GREY</p>	<p>BLOSSOM WHITE-BLUE</p> <p>NATUR GREY (COTTAGE) LEGEND OAK VINTAGE (FOREST, RUSTIC) TERRAZZO GREY MARMETTE GREY FINESTONE BROWN CEMENT GREY DESERT GREY+ASH QUARZITE PEARL VICENZA GREY TAURUS ANTRACITE+PEARL+ASH STORM GREY+GRAPHITE CANYON ROCK</p>	<p>BLOSSOM BEIGE-BROWN</p> <p>CRAFT BEIGE ASPEN BROWN LEGEND PINE (SAGANO, GRAND) ICELAND SAND NAXOS BONE BESTONE BEIGE FINESTONE BROWN CEMENT TAUPE TERRAZZO BEIGE LIPICA TAUPE QUARZITE PEARL MARMETTE BEIGE</p>	<p>LUCY WHITE-VIOLET</p> <p>VINTAGE WHITE+GREY+OAK (FOREST, RUSTIC) ICELAND SILK FINESTONE LG+WHITE TERRAZZO GREY DESERT GREY MARMETTE GREY CEMENT GREY STORM GREY+GRAPHITE CANYON ROCK TAURUS ASH+PEARL</p>	<p>LUCY WHITE-GREY</p> <p>RIALTO GREY NATUR GREY (COTTAGE) VINTAGE WHITE (FOREST) ASPEN GREY VICENZA GREY DESERT GREY FINESTONE WHITE STORM GREY</p>
<p>LUCY WHITE-BLACK</p> <p>LEGEND PINE VICENZA GREY TERRAZZO GREY+GRAPHITE FINESTONE WHITE DESERT GREY STORM GREY+GRAPHITE TAURUS ASH+PEARL CANYON ROCK</p>	<p>DREAM WHITE-LIGHT COFFEE</p> <p>CRAFT BEIGE ICELAND SAND TERRAZZO BEIGE CEMENT TAUPE CANYON ROCK STORM GREY FOSSIL SAND</p>	<p>DREAM WHITE-COFFEE</p> <p>NATUR GREY TERRAZZO BEIGE FINESTONE WHITE CEMENT TAUPE CANYON ROCK TAURUS ASH STORM GREY+GRAPHITE</p>	<p>STREAMS WHITE-GREY</p> <p>NATUR GREY (COTTAGE) LEGEND PINE (SAGANO, GRAND) ICELAND SILK+MIST NAXOS SMOKE TERRAZZO GREY FINESTONE WHITE LIPICA SMOKE DESERT GREY+ASH MARMETTE GREY TAURUS ASH CANYON ROCK</p>	<p>STREAMS WHITE-BROWN</p> <p>VINTAGE WHITE (FOREST, RUSTIC) ASPEN BROWN LEGEND PINE (SAGANO, GRAND) ICELAND SILK NAXOS BONE TERRAZZO BEIGE FINESTONE WHITE CEMENT TAUPE VICENZA BEIGE FOSSIL SAND TAURUS BONE+SAND CANYON BONE</p>

20x50 cm

**ETNA
BEIGE-BROWN**

CRAFT BEIGE
NATUR BROWN+ALMOND +
WHITE (COTTAGE)
BARK BROWN
NATIVE IVORY
ICELAND CREAM
NAXOS HONEY
QUARZITE SAND

**ETNA
WHITE-GREY**

VINTAGE GREY (RUSTIC, FOREST)
ICELAND SILK, MIST
VICENZA GREY
STORM GREY
QUARZITE PEARL
DESERT GREY
FINESTONE WHITE

**MARBLE
IVORY-GOLD**

VINTAGE BROWN (RUSTIC,
FOREST)
BARK BROWN
NATIVE ALMOND
ICELAND CREAM
QUARZITE SAND
FOSSIL COTTO

**MARBLE
WHITE-GREY**

NATUR ALMOND (COTTAGE)
VINTAGE OAK (RUSTIC, FOREST)
NORDIC PINE
LEGEND PINE (GRAND, SAGANO)
ASPEN GREY
TERRAZZO GRAPHITE
QUARZITE PEARL

VENUS

VINTAGE WHITE (FOREST,
RUSTIC)
ASPEN BROWN
VICENZA BEIGE
FINESTONE LGREY
NAXOS BONE
ICELAND CREAM
TAURUS BONE
STORM BEIGE
FOSSIL SAND

**ADORE
WHITE-GREY**

NATUR GREY (+COTTAGE)
ASPEN GREY
VICENZA GREY
BESTONE GREY
DESERT GREY + ASH
CEMENT GREY
FINESTONE WHITE
TERRAZZO GREY
STORM GREY
CANYON ROCK

**ADORE
BEIGE-BROWN**

VINTAGE BROWN (FOREST,
RUSTIC)
NORDIC PINE+WHITE
ASPEN BEIGE
VICENZA BEIGE
TERRAZZO BEIGE
QUARZITE SAND
LIPICA TAUPE
BESTONE BEIGE
TAURUS SAND + BONE
ICELAND SAND
FOSSIL COTTO+SAND
STORM BEIGE

**SENSO
WHITE-GREY**

VINTAGE WHITE (FOREST,
RUSTIC)
NORDIC WHITE
ASPEN GREY
FINESTONE WHITE
MARMETTE GREY
DESERT ASH
QUARZITE PEARL
CEMENT GREY
NAXOS GRAPHITE
CANYON ROCK

**CHARM
BEIGE-BROWN**

VINTAGE BROWN (FOREST,
RUSTIC)
NORDIC PINE + WHITE
LEGEND PINE (SAGANO +
GRAND)
ASPEN BROWN
VICENZA BEIGE
TERRAZZO BEIGE
QUARZITE SAND
LIPICA TAUPE
BESTONE BEIGE
STORM BEIGE
ICELAND SILK
NAXOS BONE
TAURUS BONE+SAND
FOSSIL SAND

**CHARM
WHITE-GREY**

NATUR WHITE+GREY
(COTTAGE)
RIALTO GREY
NORDIC WHITE
LIPICA SMOKE
CEMENT TAUPE
FINESTONE WHITE
NAXOS SMOKE
ICELAND SILK+MIST
STORM GREY

**VELA
LGREEN-GREEN**

VINTAGE WHITE
FINESTONE WHITE
MARMETTE GREY
STORM GREY
CANYON EARTH
TAURUS PEARL

TEHNIČNE INFORMACIJE

Technical Informations

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Notranje keramične ploščice | Indoor Ceramic Tiles

Tehnične informacije Technical Informations

TEHNIČNE LASTNOSTI STENSKE IN TALNE PLOŠČICE_____	166
Technical Features Wall and Floor Tiles_____	167
TEHNIČNE LASTNOSTI GLAZIRANE PORCELANSKE PLOŠČICE____	168
Technical Features Glazed Porcelain Tiles_____	169
TEHNIČNE INFORMACIJE_____	170-172
Technical Informations_____	173-175

Navodila in nasveti Installation Guide and Advice

NAVODILA ZA VGRADNJO_____	176
Instructions for Installation_____	178
FUGIRANJE_____	176
Grouting_____	178
REKLAMACIJE_____	176
Complaints_____	178
VZDRŽEVANJE_____	177
Maintenance_____	179
OPOMBA_____	177
Note_____	179
PRIPOROČENI NAČINI POLAGANJA_____	180
Laying Solutions_____	180



Logistični podatki Logistic Data

PAKIRANJE GOTOVIH IZDELKOV_____	181-182
Packing of Finished Products_____	181-182














Dodatne informacije Additional Informations

TEHNIČNI NAČRTI MOZAIKOV_____	183
Technical design for mosaics_____	183











TEHNIČNE LASTNOSTI STENSKE IN TALNE PLOŠČICE

SKLADNOST S STANDARDOM			STENSKÉ PLOŠČICE Skupina B III SIST EN 14411, Dodatek L		TALNE PLOŠČICE Skupina B II _b SIST EN 14411, Dodatek K			
Simbol	Lastnost	Testna metoda	Zahteve standarda		Gorenje Keramika	Zahteve standarda		Gorenje Keramika
	Dolžina in širina	EN ISO 10545-2	± 0,5 %	± 2,0 mm	ustreza	± 0,6 %	± 2,0 mm	ustreza
	Debelina	EN ISO 10545-2	± 10 %	± 0,5 mm	ustreza	± 5,0 %	± 0,5 mm	ustreza
	Ravnost robov	EN ISO 10545-2	± 0,3 %	± 1,5 mm	ustreza	± 0,5 %	± 1,5 mm	ustreza
	Pravokotnost	EN ISO 10545-2	± 0,5 %	± 2,0 mm	ustreza	± 0,5 %	± 2,0 mm	ustreza
	Ravnost površine	EN ISO 10545-2	+ 0,5 % / - 0,3 % + 2,0 mm / - 1,5 mm		ustreza	± 0,5 %	± 2,0 mm	ustreza
	Kakovost površine	EN ISO 10545-2	min. 95% brez vidnih napak		ustreza	min. 95% brez vidnih napak		ustreza
	Vpijanje vode	EN ISO 10545-3	E > 10 %		ustreza	6 < E ≤ 10 %		ustreza
	Upogibna trdnost	EN ISO 10545-4	≥ 12 N/mm ² (debelina ≥ 7,5 mm) ≥ 15 N/mm ² (debelina < 7,5 mm)		> 20 N/mm ²	≥ 18 N/mm ²		> 25 N/mm ²
	Zlomna sila	EN ISO 10545-4	≥ 600 N (debelina ≥ 7,5 mm) ≥ 200 N (debelina < 7,5 mm)		ustreza	≥ 800 N (debelina ≥ 7,5 mm) ≥ 500 N (debelina < 7,5 mm)		ustreza
PEI	Odpornost proti obrabi (PEI)	EN ISO 10545-7	/		/	razred 1-5		razred 2-4
	Odpornost proti hitrim temperaturnim razlikam	EN ISO 10545-9	brez vidnih napak		ustreza	brez vidnih napak		ustreza
	Odpornost proti lasastim razpokam	EN ISO 10545-11	zahtevana		ustreza	zahtevana		ustreza
	Odpornost proti nizkim koncentracijam kislin in alkalij	EN ISO 10545-13	min. B		A	min. B		A
	Odpornost proti madežem	EN ISO 10545-14	min. razred 3		razred 5	min. razred 3		razred 5

TECHNICAL FEATURES WALL AND FLOOR TILES

CONFORMITY TO NORMS			WALL TILES Group B III SIST EN 14411, Annex L			FLOOR TILES Group B II _b SIST EN 14411, Annex K		
Symbol	Characteristic	Test method	Standard requirements		Gorenje Keramika	Standard requirements		Gorenje Keramika
	Length and width	EN ISO 10545-2	± 0,5 %	± 2,0 mm	conforms	± 0,6 %	± 2,0 mm	conforms
	Thickness	EN ISO 10545-2	± 10 %	± 0,5 mm	conforms	± 5,0 %	± 0,5 mm	conforms
	Straightness of sides	EN ISO 10545-2	± 0,3 %	± 1,5 mm	conforms	± 0,5 %	± 1,5 mm	conforms
	Rectangularity	EN ISO 10545-2	± 0,5 %	± 2,0 mm	conforms	± 0,5 %	± 2,0 mm	conforms
	Surface flatness	EN ISO 10545-2	+ 0,5 % / - 0,3 % + 2,0 mm / - 1,5 mm		conforms	± 0,5 %	± 2,0 mm	conforms
	Surface quality	EN ISO 10545-2	min. 95 % no visible defects		conforms	min. 95 % no visible defects		conforms
	Water absorption	EN ISO 10545-3	E > 10 %		conforms	6 < E ≤ 10 %		conforms
	Modulus of rupture	EN ISO 10545-4	≥ 12 N/mm ² (thickness ≥ 7,5 mm) ≥ 15 N/mm ² (thickness < 7,5 mm)		> 20 N/mm ²	≥ 18 N/mm ²		> 25 N/mm ²
	Breaking strength	EN ISO 10545-4	≥ 600 N/mm ² (thickness ≥ 7,5 mm) ≥ 200 N/mm ² (thickness < 7,5 mm)		conforms	≥ 800 N/mm ² (thickness ≥ 7,5 mm) ≥ 500 N/mm ² (thickness < 7,5 mm)		conforms
	Abrasion resistance (PEI)	EN ISO 10545-7	/		/	class 1-5		class 2-4
	Thermal shock resistance	EN ISO 10545-9	no visible defects		conforms	no visible defects		conforms
	Crazing resistance	EN ISO 10545-11	no crazing		conforms	no crazing		conforms
	Resistance to low acid and alkaline concentrations	EN ISO 10545-13	min. B		A	min. B		A
	Resistance to staining	EN ISO 10545-14	min. class 3		class 5	min. class 3		class 5

TEHNIČNE LASTNOSTI GLAZIRANE PORCELANSKE PLOŠČICE

SKLADNOST S STANDARDOM			GLAZIRANE PORCELANSKE PLOŠČICE Group B I SIST EN 14411, Dodatek G	
Simbol	Lastnost	Testna metoda	Zahteve standarda	Gorenje Keramika
	Dolžina in širina	EN ISO 10545-2	± 0,6 % ± 2,0 mm	ustreza
	Debelina	EN ISO 10545-2	± 5,0 % ± 0,5 mm	ustreza
	Ravnost robov	EN ISO 10545-2	± 0,5 % ± 1,5 mm	ustreza
	Pravokotnost	EN ISO 10545-2	± 0,5 % ± 2,0 mm	ustreza
	Ravnost površine	EN ISO 10545-2	± 0,5 % ± 2,0 mm	ustreza
	Kakovost površine	EN ISO 10545-2	min. 95% brez vidnih napak	ustreza
	Vpijanje vode	EN ISO 10545-3	$E_b \leq 0,5 \%$	ustreza
	Upogibna trdnost	EN ISO 10545-4	$\geq 35 \text{ N/mm}^2$	ustreza
	Zlomna sila	EN ISO 10545-4	$\geq 1.300 \text{ N}$	ustreza
PEI	Odpornost proti obrabi (PEI)	EN ISO 10545-7	PEI razred 0-5	PEI razred 4
	Odpornost proti zamrzovanju	EN ISO 10545-12	Zahtevana	ustreza
	Odpornost proti lasastim razpokam	EN ISO 10545-11	zahtevana	ustreza
	Odpornost proti nizkim koncentracijam kislin in alkalij	EN ISO 10545-13	min. B	A
	Odpornost proti madežem	EN ISO 10545-14	Min. razred 3	Razred 5
R10	Drsnost	DIN 51130 DIN 51097	Razred R9-R13 Skupina 0-C	Glej katalog

TECHNICAL FEATURES GLAZED PORCELAIN TILES

	CONFORMITY TO NORMS		GLAZED PORCELAIN TILES Group B I SIST EN 14411, Annex G	
Symbol	Characteristic	Test method	Standard requirements	Gorenje Keramika
	Length and width	EN ISO 10545-2	± 0,6 % ± 2,0 mm	conforms
	Thickness	EN ISO 10545-2	± 5,0 % ± 0,5 mm	conforms
	Straightness of sides	EN ISO 10545-2	± 0,5 % ± 1,5 mm	conforms
	Rectangularity	EN ISO 10545-2	± 0,5 % ± 2,0 mm	conforms
	Surface flatness	EN ISO 10545-2	± 0,5 % ± 2,0 mm	conforms
	Surface quality	EN ISO 10545-2	min. 95% no visible defects	conforms
	Water absorbing	EN ISO 10545-3	$E_b \leq 0,5 \%$	conforms
	Modulus of rupture	EN ISO 10545-4	$\geq 35 \text{ N/mm}^2$	conforms
	Breaking strength	EN ISO 10545-4	$\geq 1.300 \text{ N}$	conforms
	Resistance to surface abrasion	EN ISO 10545-7	PEI Class 0-5	PEI Class 4
	Crazing resistance	EN ISO 10545-11	No crazing	conforms
	Frost resistance	EN ISO 10545-12	Required	conforms
	Resistance to low acid and alkaline concentrations	EN ISO 10545-13	min. B	A
	Resistance to stains	EN ISO 10545-14	Min. class 3	Class 5
	Slipperiness	DIN 51130 DIN 51097	Class R9-R13 Group 0-C	See catalogue

Spoštovani kupci!

V pomoč za preprečitev morebitnih pritožb strank vam priporočamo, da vsem, ki se oskrbujejo s keramičnimi ploščicami Gorenje Keramika, ponudite kopijo s temi informacijami. Zahvaljujemo se vam za sodelovanje.

Standardi

Gorenje Keramika proizvaja suho stisnjene talne keramične ploščice v tehnologiji monocoture, stenske keramične ploščice v tehnologiji monoporose, dekorne keramične ploščice ter glazirane porcelanske ploščice v tehnologiji gres porcellanato.

- Standard SIST EN 14411 se uporablja kot nacionalni standard, ki ga je objavil Evropski odbor za standardizacijo CEN.
- Ta standard je enak mednarodnemu standardu EN 14411, ki se uporablja v vseh državah članicah CEN v Evropi.
- Standard SIST EN 14411: Keramične ploščice – Definicije, razvrstitev, lastnosti, vrednotenje skladnosti in označevanje, določa izraze in opredeljuje lastnosti za keramične ploščice najboljše komercialne kakovosti (1. kakovostni razred).

V skladu s standardom se keramične ploščice glede na metodo oblikovanja in vpijanje vode razvrščajo v skupine:

METODA OBLIKOVANJA	Suho stisnjene keramične ploščice				
Vpianje vode	$E \leq 0,5 \%$	$0,5 \% < E \leq 3 \%$	$3 \% < E \leq 6 \%$	$6 \% < E \leq 10 \%$	$E > 10 \%$
Skupina	B I _a	B I _b	B II _a	B II _b	B III

Keramične ploščice Gorenje Keramika so razdeljene v naslednje skupine:

- Skupina BII_b, Dodatek K (talne keramične ploščice)
- Skupina BIII, Dodatek L (stenske keramične ploščice)
- Skupina BI_a, Dodatek G (glazirane porcelanske ploščice)

Odpornost proti obrabi keramičnih ploščic in njihova razvrstitev v PEI razrede

- Odpornost proti obrabi je lastnost, ki se upošteva pri izbiri talnih keramičnih ploščic, namenjenih za vgradnjo na določeno mesto.
- Odpornost proti obrabi kaže lastnost glazirane površine keramične ploščice glede na površinsko obrabo. Odpornost proti obrabi se določa s pomočjo vrtenja abrazivnega medija na površini keramične ploščice ter z ocenjevanjem obrabe s pomočjo vizualne primerjave videza keramične ploščice, ki je bila izpostavljena obrabi, in keramične ploščice, ki pri testiranju ni bila izpostavljena obrabi
- Izdelek se ocenjuje po lestvici od 0 do 5 (5 je najvišji razred odpornosti proti obrabi površine glaziranih keramičnih ploščic)

Razvrstitev v PEI razrede glaziranih talnih in porcelanskih ploščic glede na njihovo odpornost proti obrabi.

PEI	Možnost vgradnje
0	Glazirane keramične ploščice tega razreda niso priporočljive za talne obloge.
1	Keramične ploščice so primerne za tla, kjer večinoma hodimo v obuvalih z mehкими podplati ali bosih, kjer ni umazanije (npr. kopalnice in spalnice brez neposrednega dostopa od zunaj).
2	Keramične ploščice so primerne za tla, kjer hodimo v obuvalih z mehкими ali normalnimi podplati in kjer redkeje pride do manjše količine umazanije, ki lahko povzroči razenje keramičnih ploščic (na primer bivalni prostori, niso pa primerne za kuhinje, hodnike ali bolj obremenjene prostore). Niso primerne za hojo v obutvi z grobimi podplati, kot so na primer podkovani čevlji.
3	Keramične ploščice so primerne za tla, kjer hodimo z normalno obutvijo in kjer je lahko pogosto prisotna tudi manjša količina umazanije, ki lahko povzroči razenje keramičnih ploščic (kuhinje, hodniki, prehodi, balkoni in lože). Niso primerne za hojo v obutvi z grobimi podplati, kot so na primer podkovani čevlji.
4	Keramične ploščice so primerne za tla, kjer je redna pohodna obremenitev in je prisotna tudi umazanija, ki lahko povzroči razenje keramičnih ploščic. Razmere so težje, kot v razredu 3 (na primer vhodi, javne kuhinje, hoteli, razstavne in prodajne dvorane).
5	Keramične ploščice so primerne za tla s stalno veliko pohodno obremenitvijo in grobo umazanijo, torej v najslabših razmerah, za kar so keramične ploščice še lahko primerne (npr. javna področja, kot so nakupovalni centri, letališke in hotelske avle, javne pešpoti ter industrijska uporaba).

TEHNIČNE INFORMACIJE

Ta razvrstitev je veljavna za uporabo v običajnih pogojih. Informacija o odpornosti proti obrabi je navedena poleg talnih keramičnih ploščic.

Drsnost glaziranih porcelanskih ploščic

R:

PROTI DRSNE LASTNOSTI (DIN 51130)

To je nemški standard, ki meri odpornost proti zdrsu talnih oblog za delovne prostore in področja dejavnosti z nevarnostjo zdrsa. Preskusna metoda vključuje drsenje na rampi nagnjeni pod različnimi koti. Klasifikacijski sistem za protizdrsne lastnosti je razdeljen na 5 ocen: R9, R10, R11, R12, R13.

A+B+C:

DRSNOST NA MOKRI PODLAGI (DIN 51097):

To je nemški standard za merjenje protidrskih lastnosti na mokrih podlagah. Metoda preizkušanja vključuje bosonogo stopanje po rampi, ki je nagnjena pod različnimi koti, po njej pa teče voda. Klasifikacijski sistem za protidrskie lastnosti je razdeljen na tri ocene: A, B (A + B), C (A + B + C).

SKLADNOST S STANDARDOM		GLAZIRANE PORCELANSKE PLOŠČICE	
Lastnost	Testna metoda	Zahteve standarda Povprečni kot zdrsa	Zahteve standarda Razvrstitev po razredih
Protizdrsne lastnosti-Področja dejavnosti z nevarnostjo zdrsa-Hoja z boso nogo-Test na rampi	DIN 51130	$6^{\circ} \leq \vartheta_{ges} \leq 10^{\circ}$	R9
		$10^{\circ} \leq \vartheta_{ges} \leq 19^{\circ}$	R10
		$19^{\circ} \leq \vartheta_{ges} \leq 27^{\circ}$	R11
		$27^{\circ} \leq \vartheta_{ges} \leq 35^{\circ}$	R12
		$\vartheta_{ges} > 35^{\circ}$	R13
Drsnost na mokri podlagi-Hoja z boso nogo-Test na rampi	DIN 51097	< 12	0
		$\geq 12^{\circ}$	A
		$\geq 18^{\circ}$	B (A+B)
		$\geq 24^{\circ}$	C (A+B+C)

Drsnost keramičnih ploščic z nihalom - Pendulum test

Drsnost keramičnih ploščic je tehnična lastnost, pomembna za talne keramične ploščice, ki prihajajo v stik z vodo in imajo potencialno visoko raven drsnosti. Preskusna metoda za določanje drsnosti keramičnih ploščic z nihalom se imenuje Pendulum test, PTV. Naprava za določitev drsnosti posredno ali neposredno meri koeficient trenja med materialom talne podlage in materialom, ki predstavlja podplat čevlja.

Razred drsnosti	PTV _{SUH ALI MOKER}	Opis
1	0-24	Večja možnost zdrsa
2	25-35	Zmerna možnost zdrsa
3	36+	Manjša možnost zdrsa

PTV_S – drsnost keramičnih ploščic na suhi podlagi

PTV_M – drsnost keramičnih ploščic na mokri podlagi

Videz keramičnih ploščic in njihova izbira glede na mesto vgradnje

- Pri izbiri keramičnih ploščic je treba poleg vizualnih značilnosti (barva, dekor, tekstura, dekorativni elementi,...) upoštevati tudi tehnične značilnosti.
- V dodatku standarda SIST EN 14411 so podane minimalne tehnične zahteve glede njihovih tehničnih lastnosti: dimenzije, kakovost vidnih površin, fizikalne in kemijske lastnosti.
- Skladnost keramičnih ploščic je testirana z evropskimi standardi, njihove lastnosti pa navede proizvajalec. Metode za testiranje, ki se uporabljajo za določanje lastnosti keramičnih ploščic, so opisane v standardu EN ISO 10545.
- Vse lastnosti so navedene na kartonski embalaži in v Izjavi o lastnostih (DoP), ki predstavlja glavni vir informacij za kupca.

Pakiranje, označevanje, identifikacija in skladiščenje izdelkov

- Keramične ploščice Gorenje Keramika so razvrščene v kakovostne razrede in pakirane v kartonsko embalažo.
- Na kartonski embalaži s keramičnimi ploščicami so podatki, potrebni za identifikacijo izdelka: dimenzija in ime keramične ploščice, kaliber, niansa, datum proizvodnje, količina pakiranja (m² ali kos).
- Kaliber določa dovoljena dimenzijska odstopanja med dejansko in proizvodno mero keramične ploščice. Velikost keramične ploščice, določene za izdelavo, imenujemo proizvodna mera.
- V skladu s standardom EN 14411 so v procesu proizvodnje keramičnih ploščic minimalne spremembe barvnih nians neizogibne. Pri nakupu je treba biti pozoren, da so vse keramične ploščice, namenjene za vgradnjo na eni površini, iste nianse.
- Na zahtevo kupca se na embalažo natisne 13-mestna EAN črtna koda. Keramične ploščice so pakirane v kartonske škatle in zložene na paleto.
- Da lahko zagotovimo sledljivost izdelka, mora biti le-ta v originalni embalaži do začetka vgradnje.
- Neprimerno rokovanje lahko povzroči poškodbe na izdelku (lomi, okruški, razpoke,...).
- Izdelek, ki bo skladiščen dlje časa na prostem, mora biti ustrezno zaščiten pred zmrzovanjem.

TECHNICAL INFORMATION

Dear Buyers,

In order to prevent complaints from the customers, we recommend you to copy this document with information and deliver it to your customers, buying Gorenje Keramika tiles. Thank you for your cooperation.

Standards

Gorenje Keramika dry-pressed tiles are manufactured with monocotura technology, wall tiles are manufactured with monoporse technology as well as decor tiles and glazed porcelain tiles with gres porcellanato technology.

- Standard SIST EN 14 411 is used as national standard, as published by the European Council for CEN standardization.
- This standard corresponds to the standard EN 14 411, which is in use in all member states in Europe, which are members of CEN.
- Standard SIST EN 14 411: Ceramic tiles - Definitions, classification, characteristics, evaluation of conformity and marking, defines terms and characteristics for ceramic tiles of premium class (1st quality class).

In accordance with the applicable standard, the tiles are classified in groups, considering the shaping technique and water absorption:

SHAPING METHOD	Dry-pressed Ceramic Tiles				
Water Absorption	$E \leq 0,5 \%$	$0,5 \% < E \leq 3 \%$	$3 \% < E \leq 6 \%$	$6 \% < E \leq 10 \%$	$E > 10 \%$
Group	B Ia	B Ib	B IIa	B IIb	B III

Ceramic tiles Gorenje Keramika are categorised in three groups:

- Group BII_b, Annex K (floor tiles)
- Group BIII, Annex L (wall tiles)
- Group BI_a, Annex G (glazed porcelain tiles)

Resistance to Abrasion of Glazed Tiles and Their Classification in PEI Classes

- Resistance to abrasion is a characteristic, which should be considered when selecting the floor tiles to be installed in specific place;
- Resistance to abrasion demonstrates characteristic of the glazed surface of the tile resistant to abrasion. Resistance to abrasion is determined by means of rotating the abrasive medium on the surface of the ceramic followed by evaluating the abrasion effect by visually comparing the appearance of the tile subjected to abrasion and the tile that was not subjected to abrasion.
- The product is graded from 0 to 5 (5 is the highest grade of resistance to abrasion of the glazed tile surface).

Grading to PEI Classes of Glazed Floor Tiles Considering Resistance To Abrasion

PEI	Installation options
0	Glossy tiles, not recommended for use as floor tiles.
1	Tiles are recommended for floors where traffic is made mostly with bear foot or soft soles, no dirt present (e.g. bathrooms and bedrooms, no direct access from outside).
2	Tiles are recommended for floors where traffic is made mostly with soft or normal soles, with occasional dirt present in smaller extent, which can cause abrasion of tiles (e.g. living rooms; but not for kitchen, hallways or rooms with frequent traffic). Not suitable for traffic with shoes with rough soles, heavy-duty shoes.
3	Tiles are recommended for floors where traffic is made mostly with normal footwear, with frequent presence of smaller amount of dirt, which can cause abrasion of tiles (e.g. kitchen, hallways, passages, balconies and loggias). Not suitable for traffic with shoes with rough soles, like heavy-duty shoes.
4	Tiles are recommended for floors with regular traffic load, with presence of dirt, which can cause abrasion of tiles. Conditions are more harsh than in class 3 (e.g. public kitchens, entrance, hotels, sales areas, exhibition rooms).

TECHNICAL INFORMATIONS

5	Tiles are recommended for floors with permanent and frequent traffic with presence of dirt, very harsh conditions, but still appropriate for use of tiles 3 (e.g. public areas, like shopping malls, airport and hotel hallways, public pathways, industrial use).
---	--

This classification applies in case of use under normal conditions. Information concerning resistance to abrasion is defined next to floor ceramic tiles.

Slipperiness of Glazed Porcelain Tiles

R:

ANTI-SLIP PROPERTIES (DIN 51130):

This is a German standard that measures the slip resistance of floor coverings for workrooms and fields of activities with slip danger. The testing method involves treading on a ramp inclined at various angles. The classification system for antislip properties is divided into 5 ratings: R9, R10, R11, R12, R13.

A+B+C:

ANTI-SLIP PROPERTIES ON WET SURFACES (DIN 51097):

This is a German standard for measuring anti-slip properties in wet areas. The testing method involves treading barefoot on a ramp inclined at various angles with water running over it. The classification system for antislip properties is divided into 3 ratings: A, B (A+B), C (A+B+C).

CONFORMITY TO NORMS		GLAZED PORCELAIN TILES	
Characteristic	Test Method	Standard Requirements Average Slip Angle	Standard Requirements Class Classification
Anti-slip properties-Workrooms and fields of activities with raised slip danger-Walking method-Ramp test	DIN 51130	$6^{\circ} \leq \partial_{ges} \leq 10^{\circ}$	R9
		$10^{\circ} \leq \partial_{ges} \leq 19^{\circ}$	R10
		$19^{\circ} \leq \partial_{ges} \leq 27^{\circ}$	R11
		$27^{\circ} \leq \partial_{ges} \leq 35^{\circ}$	R12
		$\partial_{ges} > 35^{\circ}$	R13
Anti-slip properties on wet surfaces- Walking method-Ramp test	DIN 51097	< 12	0
		$\geq 12^{\circ}$	A
		$\geq 18^{\circ}$	B (A+B)
		$\geq 24^{\circ}$	C (A+B+C)

Slip Resistance of Ceramic Tiles – Pendulum Test

Slip resistance of ceramic tiles is a technical characteristic, which is important for floor tiles coming in contact with water and with high potential slipping characteristic level. Slip resistance of ceramic tile is tested with testing method called Pendulum test, PTV. The device for determining slip resistance measures the friction coefficient directly and indirectly between the material of the flooring base and material representing the sole of the shoe.

Slip resistance class	PTV _{DRY OR WET}	Description
1	0-24	High possibility of slip
2	25-35	Moderate possibility of slip
3	36 +	Low possibility of slip

PTV_{DRY} – slip resistance of tile on dry surface
PTV_{WET} – slip resistance of tile on wet surface

TECHNICAL INFORMATIONS

Visual Appearance of Tiles and Selection of Tiles Considering the Place of Installation

- When selecting the tiles, next to the visual characteristics of the tile (colour, decor, texture, decorative elements,...) the technical characteristics of the tiles must be taken into account.
- In Annex to standard SIST EN 14 411, minimum technical requirements concerning technical characteristics of the tiles are defined: dimensions, quality of visual surfaces, physical and chemical characteristics.
- Conformity of ceramic tiles has been tested in accordance with European standard and their characteristics must be listed by the manufacturer. Test methods used for defining the characteristics of the ceramic tiles are defined in standards EN ISO 10 545.
- All characteristics are identified on the cardboard box and in the Declaration of Performance (DoP), a document which is the main source of information for the buyer.

Packaging, Marking, Identification and Storage of the Product

- The Gorenje Keramika tiles are automatically sorted by quality classes and packaged in cardboard packaging.
- Packaging unit for ceramic tiles (box) includes all data required for identification of the product: dimensions and name of the tile, caliber, shade, date of manufacture, packaging quantity (m² or number of pcs.).
- The caliber defines permitted dimension tolerance between the actual dimension and the manufacturing dimension of the tile. The size of the tile defined for manufacture is called manufacturing dimension.
- In accordance with standard EN 14411 the minimum changes in colour are inevitable during the manufacturing process. When buying the tiles, be careful and make sure that all the tiles used for installation on one surface have the same shade.
- Upon the request of the buyer, a special 13 digit EAN barcode can be printed on the box. The tiles are packaged into cardboard box and stacked on the pallet.
- In order to assure the product keeps its characteristic features, the tiles must be stored in original packaging until the installation.
- Handling/manipulation with the tiles other than recommended/appropriate, may cause damages to the product (breach, chipping, fissures,...).
- If the product is to be stored outdoors for a longer period of time, make sure it is properly protected against freezing.

Navodila za vgradnjo

Za pravilno in skrbno vgradnjo keramičnih ploščic Gorenje Keramika je treba upoštevati:

- Pred vgradnjo keramičnih ploščic preverite kaliber, nianso in kakovost izdelka.
- Priporočljivo je, da se pri vgradnji vedno pomešajo keramične ploščice iz različnih škatel. Da preprečite neustrezen videz vgrajenih keramičnih ploščic, jih predhodno namestite na mesto vgradnje in jih vgradite le, če ste zadovoljni z nastalim vzorcem.
- Preberite opozorila na kartonski embalaži in jih upoštevajte.
- Stenske ploščice pred vgradnjo namočite v vodi.
- Uporabite primerno orodje za vgradnjo keramičnih ploščic (rezalko z diamantnim rezilom, zobato lopatico, belo gumijasto kladivce, klešče za keramične ploščice, gumijasto lopatico za fugiranje).
- Poskrbite, da je površina, na katero se bodo vgradile keramične ploščice, ravna, čista in zaščitena pred vlago in očiščena vseh nečistoč (npr. oplask,...)
- Posebno pozornost namenite izbiri lepila, ki ga boste uporabili (posvetujte se z dobavitelji ali proizvajalci lepila). Vsak tip keramičnih ploščic zahteva ustrezno lepilo. Dosledno upoštevajte navodila proizvajalcev lepil o debelini sloja lepila.
- Lepilo enakomerno nanesite na podlago v sloju, kot ga predpiše proizvajalec lepila. Priporočamo, da lepilo na zadnjo stran keramične ploščice nanesete in utrete po celotni površini. Sloj lepila ne sme biti debelejši, kot jo predpiše proizvajalec lepila.
- Da zagotovite pravilno vgradnjo, priporočamo uporabo vodne tehtnice.
- Za zatesnjevanje vseh robnih spojev na zidnih in talnih površinah je potrebno uporabiti sanitarni silikon. Posebej to velja pri polaganju talnih ploščic na spiralo talnega gretja, kjer po vključitvi talnega gretja prihaja do raztezanja materialov.
- Strokovnjak za polaganje keramičnih ploščic mora izbrati ustrezno velikost fug, da se zagotovi ustrezna struktura vzorca znotraj dovoljenih dimenzijskih odstopanj. Gorenje Keramika priporoča vgradnjo keramičnih ploščic z minimalno fugo 1,5 mm.
- Ne uporabljajte neobstoje barvnih fugirnih mas ali barvil (topna v vodi). Takšni materiali lahko otežijo čiščenje vgrajenih keramičnih ploščic.
- Takoj po vgradnji keramičnih ploščic, preden se fugirna masa in lepilo zasušita, očistite površino keramičnih ploščic z gobico in čisto vodo. Nikoli ne uporabljajte trdih materialov, s katerimi bi lahko poškodovali površino keramičnih ploščic (kovinske lopatice, abrazivna čistilna sredstva,...). Vedno upoštevajte pravila, ki jih priporoča proizvajalec lepila.

Fugiranje

- Pred nanosom fugirne mase je treba počakati najmanj 24 ur od vgradnje keramičnih ploščic.
- Iz fug je treba očistiti vse ostanke lepila in ostalo umazanijo.
- Fugirna masa se nanaša s trdo, ostro, gumijasto lopatico za fugiranje.
- Fugirne linije je treba očistiti z vlažno gobo pred strditvijo fugirne mase.

Reklamacije

- Kupec je ob prevzemu dolžan preveriti ustreznost paketov. Za poškodovane izdelke, ki se poškodujejo med kasnejšim transportom ali pri nepravilnem rokovanju, ne priznavamo reklamacij.
- Reklamacije glede kakovosti, nianse ali neustreznih dimenzij mora kupec prijaviti pred vgradnjo.
- Reklamacija za vgrajene keramične ploščice se ne priznava, razen v primeru skritih napak na izdelku. Skrita napaka je napaka, ki se pokaže potem, ko je kupec prevzel izdelek in je z običajnim pregledom pri prevzemu ni bilo mogoče opaziti. V primeru, da ima izdelek skrito napako, lahko kupec reklamacijo prijavi v roku dveh mesecev od dneva, ko je bila napaka odkrita, oziroma v roku 2 let od dneva nakupa. Ob prijavi reklamacije je potrebno obvezno priložiti original račun o nakupu ploščic, original račun od polagalca storitve polaganja in kartonsko embalažo.
- Priporočamo, da kupec za primer reklamacije shrani vsaj eno keramično ploščico ter kartonsko embalažo.

Kupcu se reklamacija ne prizna, če:

- pri vgradnji glaziranih porcelanskih ploščic ni uporabil izravnalnega sistema;
- je nepravilnost na keramičnih ploščicah nastala zaradi njegovega neustreznega ravnanja;
- je keramične ploščice vgradila nestrokovna oseba;
- so bile keramične ploščice uporabljene na drug način, kot je njihov namen;
- niso bila upoštevana navodila in opozorila.

Kontakt: keramika@gorenje.com

NAVODILA IN NASVETI

Navodila za vzdrževanje in čiščenje

Če se ploščice ne morejo popolnoma očistiti, v tabeli navajamo primerna čistila za različne tipe umazanije.

Ko so ploščice položene in fugirane, je priporočljivo, da se s površine odstrani odvečno lepilo in fugirna masa. Čiščenje mora biti izvedeno v 24 urah po vgradnji (fugirna masa mora biti popolnoma posušena) in najkasneje 2 dni po vgradnji, ker je kasneje čiščenje oteženo.

TIP MADEŽA	ČISTILNA SREDSTVA
Olje, črnilo, marker pisalo, paradižnik, sadje, čokolada, maščoba	Organska topila: alkohol, terpentin, aceton, alkalni detergenti v tekočem stanju ali v obliki prahu bikarbonata
Katran, guma, krema za čevlje, barva, grafit, vosek, lak za nohte	Organska topila: alkohol, terpentin, aceton, alkalni detergenti v tekočem stanju ali v obliki prahu bikarbonata
Kava, sladoled, nikotin, vino	Alkalni detergenti v tekočem stanju ali v obliki prahu bikarbonata
Apno, cement, pivo, brezalkoholne pijače, sadni sokovi, vodni kamen	Kis, razredčena klorovodikova kislina
Lepilo, žvečilni gumi, odtis gume s podplata čevlja	Organska topila: alkohol, terpentin, aceton, razredčena klorovodikova kislina
Kri, jod	Oksidant: kisikova voda

Poškodbe na površini ploščic so običajno posledica uporabe:

- agresivnih čistilnih sredstev (visoka koncentracija),
- čistilnih sredstev, neprimernih za čiščenje keramičnih ploščic.

Nikoli ne uporabljajte čistil, ki so izdelana na osnovi fluorovodikove kisline ali njenih derivatov (izdelki za preprečevanje rje in sredstva za odstranjevanje madežev v spreju pogosto vsebujejo fluorovodikovo kislino). Fluorovodikova kislina na površini ploščic povzroči nepopravljivo škodo. Vse izdelke, ki so navedeni v tabeli, najdete v običajnih trgovinah in trgovskih centrih.

Splošno pravilo je, da višji razred drsnosti keramičnih ploščic pomeni težje čiščenje. Prosimo, da to upoštevate pri izbiri keramičnih ploščic.

Čiščenje dekornih keramičnih ploščic

Za doseganje elegantnega visokokakovostnega videza pri dekornih keramičnih ploščicah (sredinski dekorji, listeli) uporabljamo prefinjene tehnike z uporabo žlahtnih materialov (zlato, srebro, platina), zato zahtevajo posebno skrbnost tako pri vgradnji kot čiščenju.

Priporočamo, da za čiščenje uporabljate samo mehko krpo in vodo. Izogibajte se uporabi močnih, abrazivnih čistil tako pri čiščenju fugirne mase po končani vgradnji kot pri vsakodnevnem čiščenju.

Opomba

Dejanski izgled ploščic se lahko razlikuje od slik v tem katalogu. Ploščice, proizvedene s tehnologijo digitalnega dekoriranja, imajo različna lica. Kljub skrbnosti ne moremo zagotavljati, da objavljene informacije ne vsebujejo pomanjkljivosti ali napak. Pridržujemo si pravico do spremembe programa.

Vsebine, objavljene v tem katalogu, so v lasti družbe Gorenje Keramika d.o.o. in so v zakonsko dovoljenem okviru predmet avtorske zaščite ali druge oblike zaščite intelektualne lastnine. Navedene vsebine so lahko reproducirane le v nekomercialne namene in se jih ne sme spreminjati ali drugače uporabljati, razen tako, kot je določeno v tem besedilu. Vsebin (vključno s fotografijami), objavljenih v tem katalogu, se ne sme prepisovati, razmnoževati ali kako drugače razširjati v komercialne namene brez predhodnega izrecnega pisnega dovoljenja družbe Gorenje Keramika d.o.o..

Gorenje Keramika d.o.o. si pridržuje vse pravice do spremembe vsebin, objavljenih v tem katalogu.

INSTALLATION GUIDE AND ADVICE

Instructions for Installation

In order to assure correct and precise installation of the ceramic tiles Gorenje Keramika, please follow the instructions:

- Before installation, check the caliber, shade and quality of the product.
- We recommend mixing of tiles from various boxes. In order to prevent unwanted appearance of the installed tiles, we recommend arranging the tiles at the place of installation and proceeding with installation after the pattern meets your expectations.
- Read and follow the warnings printed on the cardboard box.
- Before installation, soak wall tiles in water.
- Use appropriate tools for installation of ceramic tiles (diamond blade cutter, square-notch trowel, white rubber mallet, tile nipper and rubber grout float).
- Make sure that the surface, onto which the tiles are to be installed, is flat, clean, protected against moisture and free from all impurities (e.g. paint).
- Special attention should be paid to selecting the correct adhesive (consult the adhesives suppliers or manufacturers). Each type of ceramic tiles requires a different type of adhesive. Strictly follow the instructions on the thickness of the adhesive layer as prescribed by the manufacturer.
- Apply the adhesive evenly on the surface in a layer prescribed by the manufacturer. It is recommended that the adhesive be applied to the back of the ceramic tile and spread over the entire surface. The layer of the adhesive should not exceed the thickness prescribed by the manufacturer.
- To ensure correct installation, we recommend the use of a bubble level.
- To seal all edge joints on wall and floor surfaces, bathroom silicone should be used. This is especially true in the case of installing wall tiles on the floor heating pipe, where expanding of materials occurs after the floor heating is turned on.
- A qualified tile installer should select proper dimension of the grouting, in order to ensure the proper structure of the pattern within the permitted discrepancies. Gorenje Keramika recommends installation of ceramic tiles with the minimum grouting of 1.5 mm.
- Do not use coloured grouting materials or pigments that are water soluble. Such materials may cause problems during cleaning of the installed ceramic tiles.
- Immediately after installation of the tiles, before the grouting material and adhesive are hardened, clean the surface of the tiles with sponge and clean water. Do not use hard materials which might cause damage to the surface of the tiles (metal trowels, abrasive cleaning agents...). Always follow the instructions provided by the manufacturer of the adhesive.

Grouting

- Before application of grouting mix wait for minimum 24 hours after the installation of the tiles.
- Always cleanse the residues of the grouting mix and any other residues from the surface of the tiles.
- Apply the grouting mix using a solid, sharp rubber grouting trowel.
- Before the grouting mix solidifies, clean the grouts with damp cloth.

Complaints

- Upon acceptance, the buyer must inspect the boxes. Any damages which might be caused during the transport or incorrect handling, can not be subject to complaints.
- Complaints concerning the quality, shades or inadequate dimensions must be made before the tiles are installed.
- No complaints whatsoever can be made once the tiles are installed, except in case of hidden defects. A hidden defect is a defect identified after the buyer accepted the product and which could not have been identified with standard inspection upon acceptance. In case of hidden defect, the buyer shall have the right to file the complaint within two months from the date of identifying the defect, or within 2 years after the date of purchase. Upon filing a complaint, an original purchasing invoice, the original invoice from the tile paver service and factory packaging must be enclosed.
- We recommend to the buyer to save at least one piece of the tiles and cardboard box for the case of complaint.

The complaint of the buyer shall not be considered legitimate in any of the following cases:

- If the buyer did not use a levelling system when installing glazed porcelain tiles;
- If the defect/damage has been caused to the tile by the fault of the buyer's mishandling;
- If the ceramic tiles were not installed by a qualified tile installer;
- If the ceramic tiles were used in a manner other than recommended;
- In case of failure to observe the provided instructions and warnings.

INSTALLATION GUIDE AND ADVICE

Instructions for Maintenance and Cleaning

If you find the tiles hard to be cleaned, please refer to the Table to find appropriate cleaning agents for different types of dirt.

Once the ceramic tiles are installed and grouted, we recommend cleansing any excess grouting mix from the surface of the installed tiles. The tiles must be cleansed within 24 hours after installation (the grouting mix must be fully dried) or within 2 days at latest after installation, later on, it will be extremely hard to remove the residues.

STAIN TYPE	CLEANING AGENTS
Oil, ink, felt pen, tomato, fruits, chocolate, grease	Organic solvents: alcohol, turpentine oil, acetone, liquid alkaline detergents or bicarbonate powder
Tar, rubber, shoe polish, colour, charcoal, wax, nail polish	Organic solvents: alcohol, turpentine oil, acetone, liquid alkaline detergents or bicarbonate powder
Coffee, ice cream, nicotine, wine	Liquid alkaline detergents or bicarbonate powder
Lime, cement, beer, soft-drinks, fruit juices, limescale	Vinegar, diluted hydrochloric acid
Glue, chewing gum, marks from rubber soles	Organic solvents: alcohol, turpentine oil, acetone, diluted hydrochloric acid
Blood, iodine	Oxidizing agent: Oxygenated water

Damages to the surface of the ceramic tiles are usually the consequence of using any of the following agents:

- Aggressive cleaning agents (heavily concentrated),
- Cleaning agents which are not appropriate for ceramic tiles.

Never use cleaning agents made on the basis of hydrofluoric acid or its derivatives (e.g. rust control products or stain removal sprays often contain hydrofluoric acid). Hydrofluoric acid will cause irreparable damage to the surface of the tile. All products listed in the Table are available in stores.

As a general rule, the higher the slip resistance class, the harder is cleaning. Please take into account this fact when selecting the right tile for your intended use.

Cleaning of Decorating Tiles

To assure the elegant high-end appearance of the decorative tiles (central decors, listello tiles), we use sophisticated technique using precious material (gold, silver, platinum), therefore those tiles require special care in installation and cleaning.

We recommend cleaning with cloth and water only. Do not use aggressive, coarse cleaning agents, either for removal of grout residues after installation or for regular daily cleaning.

Note:

Actual visual appearance of the ceramic tiles may differ from the pictures shown in this brochure. The tiles manufactured with the technology of digital decorating have different face sides. In spite of taking great care, we cannot guarantee that the technical characteristics will not contain any errors. We reserve the right to make changes to the product range.

Contents published in this brochure are the property of the company Gorenje Keramika d.o.o. and are under applicable law copyright protected or are subject to protection of intellectual rights. The content may be reproduced only for non-commercial purpose and must not be modified or used in any way other than recommended in this document. The content (including photographs published in this brochure) may not be copied, reproduced or any other way communicated to commercial purpose without previous explicit consent of the company Gorenje Keramika d.o.o..

Gorenje Keramika d.o.o. reserves the right to changes made to the content published in this brochure.

PRIPOROČENI NAČINI POLAGANJA








Laying Solutions

Predlog za polaganje glaziranih porcelanskih ploščic.

Suggestion on installation of glazed porcelain tiles.

Priporočamo polaganje ploščic z največ 30% zamikom.

We recommend installing tiles with a maximum of 30% offset.



OBVEZNA UPORABA IZRAVNALNEGA SISTEMA ZA VGRADNJO GLAZIRANIH PORCELANSKIH PLOŠČIC.

Gorenje Keramika ne prizna reklamacij v primeru neuporabljenega izravnalnega sistema pri vgradnji tega tipa ploščic.


MANDATORY USE OF LEVELING SYSTEM FOR THE INSTALLATION OF GLAZED PORCELAIN TILES.

Gorenje Keramika will not accept any claims if this type of tiles are installed without a leveling system.

Nudimo široko paleto formatov. Po najnovejših trendih v keramiki, dimenzije ploščic postajajo vse večje. Prednost glaziranih porcelanskih ploščic je v materialu, ki omogoča veliko večjo prožnost, hkrati pa ohranjata trdnost. Na trgu obstajajo posebni vgradni sistemi za enostavnejšo namestitev te vrste izdelka. S temi sistemi je mogoče premagati neenakost tal in uravnati ukrivljenost kosov, zato Gorenje Keramika za popolna tla predlaga uporabo izravnalnega sistema s katerim pridobimo na času in se izognemo nepravilnostim v tleh.

We offer a wide range of formats. Following the latest trends in flooring, the formats are getting larger.

The advantage of glazed porcelain tiles is that they have a much greater flexibility while maintaining the values of hardness and breaking strength. They are specific fitting systems on the market for easier installation of this type of product. With these systems, we are able to overcome the unevenness of the floor and accommodate the curvature of the pieces getting a much flatter surface. Gorenje Keramika, recommends the use of a leveling system to optimize installation time, avoid irregularities in the floor and get a perfect finish.








LOGISTIČNI PODATKI







Logistic Data

Pakiranje gotovih izdelkov
Packing of finished products






Stenske ploščice Skupina BIII / Wall Tiles Group BIII

OPIS / DESCRIPTION								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	20x50	8,5	18	1,80	26,80	44	79,20	1.180
	25x60	9,0	9	1,35	20,60	64	86,40	1.320
	25x75	9,2	8	1,50	23,30	42	63,00	980






Stenske ploščice - Sredinski dekorji / Wall Tiles - Central Decors / DC

OPIS / DESCRIPTION								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	20x50	8,5	18	1,80	26,80	22	39,60	590
	25x60	9,0	9	1,35	20,00	32	43,20	640
	25x75	9,2	8	1,50	23,20	28	42,00	650
	20x50	8,5	15	1,50	22,30			
	25x60	9,0	9	1,35	20,00			

3D stenske ploščice - Sredinski dekorji / 3D Wall Tiles - Central Decors

OPIS / DESCRIPTION								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	25x60	10,0	8	1,20	19,90	32	38,40	640
	25x75	10,5	7	1,31	23,20	28	36,68	650






Glazirane porcelanske ploščice Skupina BI_a / Glazed Porcelain Tiles Group BI_a





OPIS / DESCRIPTION								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	15x60	8,8	10	0,90	17,70	64	57,60	1.130
	30x60	8,8	7	1,26	23,00	60	75,60	1.380
	22,5x90	8,8	6	1,215	23,10	54	65,61	1.250




LOGISTIČNI PODATKI




Logistic Data

Pakiranje gotovih izdelkov Packing of Finished Products

Talne ploščice Skupina BII _b / Floor tiles Group BII _b								
OPIS / DESCRIPTION								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	33,3' x33,3'	8,0	12	1,33	22,20	72	96,00	1.600

Stenske ploščice - Listele / Wall tiles Listellos / L					
OPIS / DESCRIPTION					
	cm	mm	kos / pcs	m	kg
	8x50	8,4	12	6,00	8,20
	5x50	8,4	12	6,00	5,00
	4,5x60	9,0	12	7,20	5,80
	5x60	9,0	12	7,20	6,00
	6x60	9,0	12	7,20	7,50

Stenski mozaiki / Wall Mosaics				
OPIS / DESCRIPTION				
	cm	kos / pcs	m ² / Mq	kg
	30x30	11	0,98	14,50
	20x60	10	0,97	14,60

Porcelanski mozaiki / Porcelain Mosaics				
OPIS / DESCRIPTION				
	cm	kos / pcs	m ² / Mq	kg
	30x30	11	0,98	16,60
	30x60	5	0,75	10,60
	33,8x36,4	10	0,97	15,60

DODATNE INFORMACIJE

Additional Information

Tehnični načrt mozaikov


Technical Design for Mosaics




Mosaic 1




Mosaic 5




Mosaic 4




Mosaic 6



Mosaic 7





A series of horizontal lines for writing, spaced evenly down the page.

gorenje KERAMIKA

Gorenje Keramika, d.o.o.

Sedež/Headquarters: Partizanska cesta 12, 3320 Velenje, Slovenija

Lokacija/Location: Gorenje 1/b, 3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 10

F: +386 (0)3 896 61 13

E: keramika@gorenje.com

W: <https://si.gorenje.com/izdelki/keramika>

<https://ceramics-gorenje.com/>

Industrijska prodajalna Šmartno ob Paki

Gorenje 1/b,

3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 27

F: +386 (0)3 896 61 13

E: ip.keramika.gorenje@gorenje.com

Industrijska prodajalna Ljubljana

Plemljeva 2

1210 Ljubljana-Šentvid, Slovenija

T: +386 (0)1 512 48 71

F: +386 (0)1 516 15 57

E: ip.keramika.ljubljana@gorenje.com

Prodajni salon Lenapark

Ob Poleni 35 (Lenapark)

2230 Lenart v Slovenskih goricah, Slovenija

T: +386 (0)2 292 79 86, +386 (0)2 292 79 87

F: +386 (0)2 292 79 88

E: ps.keramika.lenart@gorenje.com

TILE BOOK 2021

Gorenje Keramika, d.o.o.

Sedež/Headquarters: Partizanska cesta 12,
3320 Velenje, Slovenija

Lokacija/Location: Gorenje 1/b,
3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 10

F: +386 (0)3 896 61 13

E: keramika@gorenje.com

W: <https://si.gorenje.com/izdelki/keramika>
<https://ceramics-gorenje.com/>

